Optical Engineering

Subject Index to Volume 27 (1988)

KEY TO INDEX USE

Paper titles are indexed under appropriate subject terms, which are printed in boldface. Each entry gives the paper title, the author(s), code letters (when applicable), and location of the paper in Volume 27.

Code Letters indicate:

(BR) Book review
(Ed) Editorial

Aberrations
- Active optics correction of thermal distortion of a 1.8 meter mirror (Pearson, E.; Stepp, L.; Fox, J.) 27(2)115-122(Feb1988)
- All-spherical four-mirror telescopes corrected for three Seidel aberrations (Lee, Jong Ung; Lee, Sang Soo) 27(6)491-497(Jun1988)
- Multifaceted laser beam integrators: general formulation and design concepts (Dickey, Fred M.; O'Neil, Burton D.) 27(11)999-1007(Nov1988)
- Phasar nonlinear optical experimentation: phased far-field return from multiple telescopes by optical wavefront reversal of a reference signal (Klemas, A.; Kramer, M.; Carreras, Richard A.; Clayton, C.) 27(9)722-729(Sep1988)
- The triplet: an "embarrassment of riches" (Shafer, David) 27(12)1035-1038(Dec1988)

Absorption
- Instrumentation to measure the diffuse thickness of scattering dispersions (Birth, Gerald S.; Fyhn, Per-Gunnar; Frank, Joseph) 27(5)403-408(May1988)
- New correlation technique for on-line film thickness measurement (Edgar, Roger F.; Hindle, Peter H.) 27(1)050-054(Jan1988)
- Simple method of fabricating copper oxide selective absorber films for photothermal conversion of solar energy (Banerjee, H. D.; Viswanathan, R.; Rao, D. R.; Acharya, H. N.) 27(11)933-938(Nov1988)

Acousto-optics
- Optical architecture for acousto-optic space integrating correlator (Yu, Francis T. S.; Nagata, Toshio) 27(7)507-511(Jul1988)
- Simple phase-tracking measurement technique for multichannel Bragg cells (Lee, Jim P. Y.) 27(8)677-683(Aug1988)

Adaptive optics
- Active optics correction of thermal distortion of a 1.8 meter mirror (Pearson, E.; Stepp, L.; Fox, J.) 27(2)115-122(Feb1988)
- Demonstration of an optically phased telescope array (Fender, Janet S.; Carreras, Richard S.) 27(9)706-711(Sep1988)
- Implementation of optical path length and tilt control in a phased array system (Voelz, David G.; Russell, David A.; Wallentine, Patricia J.; Carreras, Richard A.) 27(9)712-717(Sep1988)
- Phased array system using the far-field point spread function (Hennessy, Corey J.; Tipton, Charles A.; Wallentine, Patricia J.) 27(9)718-721(Sep1988)
- System design of a wavefront sensing package for a wide field of view optical phased array (Gonglewski, John D.; De Hainaut, Christopher R.; Lampkin, Curt M.; Dymale, Raymond C.) 27(9)785-792(Sep1988)
- Wavefront error measurement technique using extended, incoherent light sources (von der Luhe, O.) 27(12)1078-1087(Dec1988)

Airglow
- Automated optical observatory for thermospheric dynamics studies (Biondi, M. A.; Zipf, M. E.; Olmsted, R. A.) 27(10)909-916(Oct1988)

Apertures, synthetic
- Demonstration of an optically phased telescope array (Fender, Janet S.; Carreras, Richard S.) 27(9)706-711(Sep1988)

Architectures
- Optical architecture for acousto-optic space integrating correlator (Yu, Francis T. S.; Nagata, Toshio) 27(7)507-511(Jul1988)

Arrays
- Design of photopolymer holograms for optical interconnect applications (Kirsch, James C.; Gregory, Don A.; Hudson, Tracy D.; Lanteigne, David J.) 27(4)301-308(Apr1988)
- Measurement of the Landsat Thematic Mapper modulation transfer function using an array of point sources (Rauchmiller, Robert F., Jr.; Schowengerdt, Robert A.) 27(4)334-343(Apr1988)

Arrays, detector
- Linearity of direct injection in an InSb photodiode/Si charge-coupled device imager (Hopkins, F. K.; Boyd, J. T.) 27(8)701-704(Aug1988)

Arrays, diode
- Determination of a variable-spacing array's applicability as the NASA Advanced Communication Test Satellite intersatellite communication system transmitter (Fuhr, Peter L.; Davidson, Frederic M.) 27(3)238-242(Mar1988)

Arrays, focal plane
- 1/f optimization for a complementary metal oxide semiconductor focal plane array input circuit (Martin, Robert James; Herzog, William R.) 27(3)246-249(Mar1988)

Artificial intelligence
- Optical representations for symbolic logic (Schmidt, Rodney A.; Cathey, W. Thomas) 27(6)475-481(Jun1988)

Aspherics
- Design of null lens correctors for the testing of astronomical optics (Sasian, Jose M.) 27(12)1051-1056(Dec1988)
- Development of a precision diamond turning machine for fabrication of asymmetric aspheric mirrors (Moriyama, Shigeo; Uchida, Fumihiko; Seya, Eiichi) 27(11)1008-1012(Nov1988)
- Testing large hyperbolic secondary mirrors (Parks, Robert E.; Shao, Lian Zhen) 27(12)1057-1062(Dec1988)

Associative memories
- Application of one-step holographic associative memories to symbolic substitution (Yu, Francis T. S.; Zhang, Chenhua; Jutamulia, Suganda) 27(5)399-402(May1988)
- Content-Addressable Memories, Second Edition. By Teuvo Kohonen. (Reviewed by Hassoun, Mohamad H.) (BR) 27(2)SR027-SR028(Feb1988)
- Digital and analogue holographic associative memories (White, H. J.; Aldridge, N. B.; Lindsay, I.) 27(1)030-037(Jan1988)

Astronomy
- Astronomical Optics. By David J. Schroeder. (Reviewed by Shannon, Robert R.) (BR) 27(9)SR171(Sep1988)

Automated optical observatory for thermospheric dynamics studies (Biondi, M. A.; Zipf, M. E.; Olmsted, R. A.) 27(10)909-916(Oct1988)
Compact image-intensifier-coupled Fabry-Perot interferometer for extended astronomical sources (Chandrasekhar, T.; Ashok, N. M.; Debiprasad, C.; Desai, J. N.) 27(1)067-070(Jan1988)
Design of null lens correctors for the testing of astronomical optics (Sasian, Jose M.) 27(12)1051-1056(Dec1988)
Piezoelectrically controlled scanning Fabry-Perot spectrometer for emission line studies of extended astronomical objects (Chandrasekhar, T.; Debiprasad, C.; Desai, J. N.; Ashok, N. M.) 27(12)1088-1092(Dec1988)
Site survey instrumentation for the National New Technology Telescope (NNTT) (Forbes, F. F.; Morse, D. A.; Poczulp, G. A.) 27(10)845-853(Oct1988)
Structure of the extended emission in the infrared celestial background (Price, Stephan D.) 27(1)075-085(Jan1988)
Testing large hyperbolic secondary mirrors (Parks, Robert E.; Shao, Lian Zhen) 27(12)1057-1062(Dec1988)

Atmospheres
Automated optical observatory for thermospheric dynamics studies (Biondi, M. A.; Zipf, M. E.; Olmsted, R. A.) 27(10)909-916(Oct1988)

Atmospheric optics
Automated optical observatory for thermospheric dynamics studies (Biondi, M. A.; Zipf, M. E.; Olmsted, R. A.) 27(10)909-916(Oct1988)
Imaging correlography with sparse arrays of detectors (Fienup, J. R.; Idell, Paul S.) 27(9)778-784(Sep1988)

Attenuation
Calculation and measurement of mode transition matrices for differential mode attenuation and differential mode delay characterization of optical fibers (Evers, Gert) 27(2)179-186(Feb1988)

Backgrounds
Measurement and modeling of natural desert terrain in the infrared (Ben-Yosef, N.; Wilner, K.; Abitbol, M.) 27(11)928-932(Nov1988)
Structure of the extended emission in the infrared celestial background (Price, Stephan D.) 27(1)075-085(Jan1988)

Bandwidth compression
Feature-based image bandwidth compression (Saghri, John A.; Tescher, Andrew G.) 27(10)854-860(Oct1988)

Beams
Channel integrator for laser beam uniformity on target (Geary, Joseph M.) 27(11)972-977(Nov1988)
Effects of latent heat and incident beam distribution on the temperature field in phase change recording (Zhou, Zhiping; Chin, Kuofan; Wang, Minqiang) 27(11)994-998(Nov1988)
Highly polished, grazing incidence mirrors developed for synchrotron radiation beam lines at Stanford Synchrotron Radiation Laboratory (Tirsell, K. Glenn; Berglin, E. J.; Fuchs, B. A.; Holdener, F. R.; Humpal, H. H.; Karpenko, V. P.; Kulkarni, S.; Fantone, Stephen D.) 27(11)985-993(Nov1988)
Multifaceted laser beam integrators: general formulation and design concepts (Dickey, Fred M.; O'Neil, Burton D.) 27(11)999-1007(Nov1988)

Beams, electron
Electron beam lithography and nanometer structures: fabrication of microzone plates (Bogli, V.; Unger, P.; Beneking, H.; Niemann, B.; Guttmann, P.; Meyer-Ilse, W.) 27(2)143-149(Feb1988)

Biology
Automatic endoscope for the in situ study of plant roots (Hueber, J.; Manantsoa, V.; Picard, D.; Sarroca, M.; Schultz, G.) 27(9)801-805(Sep1988)

Bistability
Optically bistable thin-film interference devices and holographic techniques for experiments in digital optics (Walker, A. C.; Taghizadeh, M. R.; Mathew, J. G. H.; Redmond, I.; Campbell, R. J.; Smith, S. D.; Dempsey, J.; Lebreton, Guy) 27(1)038-044(Jan1988)

Book reviews
Advances in Optical and Electron Microscopy, Volume 10. Edited by R. Barer and V. E. Cosslett. (Reviewed by Thompson, Brian J.) (BR) 27(6)SR111(Jun1988)
Applied Optics and Optical Engineering, Volume 10. Edited by Robert R. Shannon and James C. Wyant. (Reviewed by Yoder, Paul R., Jr.) (BR) 27(5)SR091-SR092(May1988)
Astronomical Optics. By David J. Schroeder. (Reviewed by Shannon, Robert R.) (BR) 27(9)SR171(Sep1988)
The Complete Book of Holograms—How They Work and How to Make Them. By Joseph E. Kasper and Steven A. Feller. (Reviewed by Caulfield, H. John) (BR) 27(3)SR050(Mar1988)
Content-Addressable Memories, Second Edition. By Teuvo Kohonen. (Reviewed by Hassoun, Mohamad H.) (BR) 27(2)SR027-SR028(Feb1988)
Fiber Optic Communications, Second Edition. By Joseph C. Palais. (Reviewed by Menendez, R. C.) (BR) 27(11)SR209-SR210(Nov1988)
Fourier Optics: An Introduction, Second Edition. By E. G. Steward. (Reviewed by Hendry, Michael) (BR) 27(3)SR049-SR050(Mar1988)
Gas Flow and Chemical Lasers. Edited by S. Rosenwaks. (Reviewed by Meinzer, R. A.) (BR) 27(1)SR008(Jan1988)
The High-Tech Industry Manual: Conversion of U.S. Industry to High Technology Through Technology Transfer. By Hyman Olken. (Reviewed by Mataloni, Raymond J.) (BR) 27(7)SR133-SR134(Jul1988)
Image Recovery: Theory and Application. Edited by Henry Stark. (Reviewed by Tescher, Andrew G.) (BR) 27(1)SR007(Jan1988)
Image Understanding 1985-86. Edited by Whitman Richards and Shimon Ullman. (Reviewed by Anandan, P.) (BR) 27(10)SR186-SR188(Oct1988)
Integral Transforms for Engineers and Applied Mathematicians. By L. C. Andrews and B. K. Shivamoggi. (Reviewed by Gallatin, Greg) (BR) 27(10)SR185-SR186(Oct1988)
Laser Processing of Thin Films and Microstructures. By Ian W. Boyd. (Reviewed by Lee, Richard) (BR) 27(7)SR134(Jul1988)
Laser Remote Chemical Analysis. Edited by Raymond M. Measures. (Reviewed by Hall, Freeman F., Jr.) (BR) 27(12)SR227(Dec1988)
Lasers: Invention to Application. Edited by Jesse H. Ausubel and H. Dale Langford. (Reviewed by Guenther, Arthur H.) (BR) 27(11)SR210-SR211(Nov1988)
Light. By Michael Sobel. (Reviewed by Hall, Freeman F., Jr.) (BR) 27(4)SR071-SR072(Apr1988)
The Measurement of Appearance, Second Edition. By Richard S. Hunter and Richard W. Harold. (Reviewed by MacAdam, David L.) (BR) 27(5)SR092-SR093(May1988)
Optical Thin Films: Users' Handbook. By James D. Rancourt. (Reviewed by Guenther, Karl H.; Bennett, Jean M.) (BR) 27(2)SR028-SR030(Feb1988)
Optics of Charged Particles. By Hermann Wollnik. (Reviewed by Boerboom, A. J. H.) (BR) 27(6)SR111-SR112(Jun1988)
Optics—Light for a New Age. By Jeff Hecht. (Reviewed by Yoder, Paul R., Jr.) (BR) 27(6)SR112(Jun1988)
Opto-Electronic Imaging. Edited by D. P. Juyal, P. C. Mehta, and M. K. Sharma. (Reviewed by Slegtenhorst, Ronald P.) (BR) 27(3)SR050(Mar1988)
Semiconductor Interfaces: Formation and Properties. Edited by G. Le Lay, J. Derrien, and N. Boccara. (Reviewed by Chabal, Yves J.) (BR) 27(8)SR153-SR154(Aug1988)
Signal Analysis and Estimation—An Introduction. By Ronald D. Fante. (Reviewed by Morgan, Charles J.) (BR) 27(8)SR153(Aug1988)
Tunable Lasers. Edited by L. F. Mollenauer and J. C. White. (Reviewed by Byvik, Charles E.) (BR) 27(4)SR071(Apr1988)

Bragg cells
Characteristics and design of mercurous halide Bragg cells for optical signal processing (Goutzoulis, Anastasios P.; Gottlieb, Milton) 27(2)157-163(Feb1988)
Simple phase-tracking measurement technique for multichannel Bragg cells (Lee, Jim P. Y.) 27(8)677-683(Aug1988)

Cameras
Design of a 360 mm focal length, f/3.6 spectrograph objective (Powell, Ian) 27(12)1042-1045(Dec1988)
Optical superresolution using solid-state cameras and digital signal processing (Seitz, Peter) 27(7)535-540(Jul1988)
Ultimate sensitivity and resolution of phosphor/fiber/charge-coupled device systems (erratum) (Dunham, Mark E.; Sanchez, Philip G.) 27(1)087(Jan1988)

Cathode ray tubes
Application of cathode-ray tube technology to the clinical evaluation of visual functions (Vernier, Francoise; Charlier, Jacques; Nguyen, Duc Dung) 27(2)123-128(Feb1988)
Current trends in optics for projection TV (Clarke, John A.) 27(1)016-022(Jan1988)

Caustics
Shadow optical analysis of dynamic shear fracture (Kalthoff, Jorg F.) 27(10)835-840(Oct1988)

Charge-coupled device imagers
Ultimate sensitivity and resolution of phosphor/fiber/charge-coupled device systems (erratum) (Dunham, Mark E.; Sanchez, Philip G.) 27(1)087(Jan1988)

Charge-coupled devices
Experimental study of mirror segment phasing using tungsten light (Watson, J. T.) 27(9)758-761(Sep1988)
Linearity of direct injection in an InSb photodiode/Si charge-coupled device imager (Hopkins, F. K.; Boyd, J. T.) 27(8)701-704(Aug1988)
Optical superresolution using solid-state cameras and digital signal processing (Seitz, Peter) 27(7)535-540(Jul1988)
Ultimate sensitivity and resolution of phosphor/fiber/charge-coupled device systems (erratum) (Dunham, Mark E.; Sanchez, Philip G.) 27(1)087(Jan1988)

Chemistry
Laser Remote Chemical Analysis. Edited by Raymond M. Measures. (Reviewed by Hall, Freeman F., Jr.) (BR) 27(12)SR227(Dec1988)

Clock distribution
Timing uncertainty for receivers in optical clock distribution for VLSI (Clymer, Bradley D.; Goodman, Joseph W.) 27(11)944-954(Nov1988)

Coatings
Simple method of fabricating copper oxide selective absorber films for photothermal conversion of solar energy (Banerjee, H. D.; Viswanathan, R.; Rao, D. R.; Acharya, H. N.) 27(11)933-938(Nov1988)

Coding
Feature-based image bandwidth compression (Saghri, John A.; Tescher, Andrew G.) 27(10)854-860(Oct1988)
Subband coding of video for packet networks (Karlsson, Gunnar; Vetterli, Martin) 27(7)574-586(Jul1988)

Color surfaces
The Measurement of Appearance, Second Edition. By Richard S. Hunter and Richard W. Harold. (Reviewed by MacAdam, David L.) (BR) 27(5)SR092-SR093(May1988)

Computer vision
Comparison of three motion detection techniques (Bernat, Andrew P.; Riter, Stephen; Nelan, Joseph) 27(7)524-527(Jul1988)
Effects of subpixel image restoration on digital correlation error estimates (Sutton, Michael A.; McNeill, Stephen R.; Jang, Jinseng; Babai, Majid) 27(10)870-877(Oct1988)

Computers
Content-Addressable Memories, Second Edition. By Teuvo Kohonen. (Reviewed by Hassoun, Mohamad H.) (BR) 27(2)SR027-SR028(Feb1988)

Concentrators
Vibrational testing of an x-ray concentrator by holographic interferometry (Delvo, P.; Rizzi, M. L.) 27(12)1072-1077(Dec1988)

Correlation
Application of binary phase-only correlation to machine vision (Flannery, David L.; Loomis, John S.; Milkovich, Mary E.; Keller, Paul E.) 27(4)309-320(Apr1988)
Effects of subpixel image restoration on digital correlation error estimates (Sutton, Michael A.; McNeill, Stephen R.; Jang, Jinseng; Babai, Majid) 27(10)870-877(Oct1988)
Multiple object identification by bipolar joint transform correlation (Javidi, Bahram; Odeh, Souheil F.) 27(4)295-300(Apr1988)
Particle image velocimetry: automatic fringe analysis by cross-correlation (Kirita, Atsushi: Pickering, Christopher J. D.; Halliwell, Neil A.) 27(3)188-192(Mar1988)
Particle image velocimetry: the ambiguity problem (Coupland, Jeremy M.; Pickering, Christopher J. D.; Halliwell, Neil A.) 27(3)193-196(Mar1988)

Correlators
Optical architecture for acousto-optic space integrating correlator (Yu, Francis T. S.; Nagata, Toshio) 27(7)507-511(Jul1988)

Couplers
Amplitude and phase characterisation of polished directional half-couplers with variable refractive index overlays (Brierley, M. C.; Millar, C. A.) 27(1)045-049(Jan1988)
Plastic optical fiber tap (Kagami, Manabu; Sakai, Youichi; Okada, Hiroshi; Ito, Toshio) 27(11)978-984(Nov1988)

Cracks
Blunt crack caustics (Dickerson, Kevin L.; Kim, Kyung-S.) 27(8)611-618(Aug1988)
Surface and interior crack-tip field measurement by an embedded random speckle method (Chiang, F. P.; Lu, Hua) 27(3)210-213(Mar1988)

Crystals, liquid
Area-modulated recordings for one-dimensional optical signal processors (Pernick, B. J.) 27(6)452-455(Jun1988)
Current trends in optics for projection TV (Clarke, John A.) 27(1)016-022(Jan1988)

Data storage
Effects of latent heat and incident beam distribution on the temperature field in phase change recording (Zhou, Zhiping; Chin, Kuofan; Wang, Minqiang) 27(11)994-998(Nov1988)

Deconvolution
Landsat data destriping using power spectral filtering (Srinivasan, Ram; Cannon, Michael; White, James) 27(11)939-943(Nov1988)

Deflectometry
Flatness analysis of hard disks (Kafri, Oded; Kreske, Kathi) 27(10)878-882(Oct1988)

Deflectors
Control of low inertia galvanometers for high precision laser scanning systems (Blais, Francois) 27(2)104-110(Feb1988)

Detection
Detection of multiple views of an object in the presence of clutter (Ochoa, Ellen; Schils, George F.; Sweeney, Donald W.) 27(4)266-273(Apr1988)

Detectors
1/f optimization for a complementary metal oxide semiconductor focal plane array input circuit (Martin, Robert James; Herzog, William R.) 27(3)246-249(Mar1988)
Fast optical detector deposited on dielectric channel waveguides (Larson, Donald R.; Phelan, Robert J., Jr.) 27(6)503-506(Jun1988)
Infrared transient sensing (Coon, D. D.; Karunasiri, R. P. G.; Bandara, K. M. S. V.) 27(6)471-474(Jun1988)

Diamonds
Development of a precision diamond turning machine for fabrication of asymmetric aspheric mirrors (Moriyama, Shigeo; Uchida, Fumihiko; Seya, Eiichi) 27(11)1008-1012(Nov1988)

Diffraction
Optical interconnection network utilizing diffraction gratings (Lohman, Gary E.; Lohmann, Adolf W.) 27(10)893-900(Oct1988)
Speckle-tracking point diffraction interferometer for fluid studies (Giglio, M.; Perini, U.; Paganini, E.) 27(3)197-199(Mar1988)

Digital imaging
Effects of subpixel image restoration on digital correlation error estimates (Sutton, Michael A.; McNeill, Stephen R.; Jang, Jinseng; Babai, Majid) 27(10)870-877(Oct1988)
Feature-based image bandwidth compression (Saghri, John A.; Tescher, Andrew G.) 27(10)854-860(Oct1988)

Digital processing
Digital optical control system (Jordan, David H.; Tipton, Charles A.; Christmann, Charles E.; Hochhausler, Nils P.) 27(9)755-757(Sep1988)
Effects of subpixel image restoration on digital correlation error estimates (Sutton, Michael A.; McNeill, Stephen R.; Jang, Jinseng; Babai, Majid) 27(10)870-877(Oct1988)
Feature-based image bandwidth compression (Saghri, John A.; Tescher, Andrew G.) 27(10)854-860(Oct1988)
Film-based digital tomosynthesis of the chest (Sherrier, Robert H.; Suddarth, Steven A.; Johnson, G. Allan) 27(8)691-695(Aug1988)

Optical representations for symbolic logic (Schmidt, Rodney A.; Cathey, W. Thomas) 27(6)475-481(Jun1988)
Optical superresolution using solid-state cameras and digital signal processing (Seitz, Peter) 27(7)535-540(Jul1988)

Diodes
Determination of a variable-spacing array's applicability as the NASA Advanced Communication Test Satellite intersatellite communication system transmitter (Fuhr, Peter L.; Davidson, Frederic M.) 27(3)238-242(Mar1988)

Dispersion
Short-wavelength transmission on 1300 nm optimized single-mode fiber (Stern, M.; Way, W. I.; Shah, V.; Romeiser, M. B.; Young, W. C.; Krupsky, J. W.) 27(10)901-908(Oct1988)

Displays
Optical pseudocolor image enhancement with real-time large screen display (Chao, Tien-Hsin; Liu, Hua-Kuang) 27(5)393-398(May1988)

Doppler effect
Coherent optical radar (Alexander, William; Clark, David L.; Stewart, Corrine A.) 27(1)011-015(Jan1988)

Electromagnetic waves
Grating enhanced second harmonic generation through electromagnetic resonances (Reinisch, Raymond; Neviere, Michel; Akhouayri, H.; Coutaz, J. L.; Maystre, D.; Pic, E.) 27(11)961-971(Nov1988)

Electro-optics
Area-modulated recordings for one-dimensional optical signal processors (Pernick, B. J.) 27(6)452-455(Jun1988)
Laser measurement system for precise and fast positioning (Mori, Sadao; Akatsu, Toshio; Miyazaki, Chuuichi) 27(9)823-829(Sep1988)

Emission
Measurement of the emissivity of small particles at elevated temperatures (Fincke, J. R.; Jeffery, C. L.; Spjut, R. Erik) 27(8)684-690(Aug1988)

Encoders
Digital position encoding of galvanometer scanner in a laser microscope (Liljeborg, Anders) 27(9)818-822(Sep1988)
Optical pseudocolor image enhancement with real-time large screen display (Chao, Tien-Hsin; Liu, Hua-Kuang) 27(5)393-398(May1988)

Endoscopes
Automatic endoscope for the in situ study of plant roots (Hueber, J.; Manantsoa, V.; Picard, D.; Sarroca, M.; Schultz, G.) 27(9)801-805(Sep1988)

Errata
Space Telescope performance prediction using the optical surface analysis code (OSAC) (erratum) (Glenn, Paul) 27(10)922(Oct1988)
Ultimate sensitivity and resolution of phosphor/fiber/charge-coupled device systems (erratum) (Dunham, Mark E.; Sanchez, Philip G.) 27(1)087(Jan1988)

Etalons
Optical pulse modulation and optical hysteresis in a nonlinear cadmium sulfide etalon at room temperature (Petersen, Paul Michael) 27(3)234-237(Mar1988)
Piezoelectrically controlled scanning Fabry-Perot spectrometer for emission line studies of extended astronomical objects (Chandrasekhar, T.; Debiprasad, C.; Desai, J. N.; Ashok, N. M.) 27(12)1088-1092(Dec1988)

Expert systems
Optical representations for symbolic logic (Schmidt, Rodney A.; Cathey, W. Thomas) 27(6)475-481(Jun1988)

Fabry-Perot
Automated optical observatory for thermospheric dynamics studies (Biondi, M. A.; Zipf, M. E.; Olmsted, R. A.) 27(10)909-916(Oct1988)
Compact image-intensifier-coupled Fabry-Perot interferometer for extended astronomical sources (Chandrasekhar, T.; Ashok, N. M.; Debiprasad, C.; Desai, J. N.) 27(1)067-070(Jan1988)
Frequency stabilization of a diode laser to a Fabry-Perot interferometer (Chung, Yun C.; Shay, T. M.) 27(5)424-427(May1988)
Piezoelectrically controlled scanning Fabry-Perot spectrometer for emission line studies of extended astronomical objects (Chandrasekhar, T.; Debiprasad, C.; Desai, J. N.; Ashok, N. M.) 27(12)1088-1092(Dec1988)

Fiber optics
Amplitude and phase characterisation of polished directional half-couplers with variable refractive index overlays (Brierley, M. C.; Millar, C. A.) 27(1)045-049(Jan1988)
Fiber Optic Communications, Second Edition. By Joseph C. Palais. (Reviewed by Menendez, R. C.) (BR) 27(11)SR209-SR210(Nov1988)
Fiber-optic crossbar switch with broadcast capability (Dias, Antonio R.; Kalman, Robert F.; Goodman, Joseph W.; Sawchuk, Alexander A.) 27(11)955-960(Nov1988)
Investigation of the wavelength-dependent transmission characteristics of optical fibre sensor systems (Jones, Robert; Jones, Keith W.) 27(1)023-029(Jan1988)
Mode partition noise in nearly single mode lasers with multiple side modes (Lakshmanasamy, S.; Mitra, S. S.) 27(9)812-817(Sep1988)
Optical single-pole, triple-throw switch (Look, D. C., Jr.) 27(3)253-255(Mar1988)
Plastic optical fiber tap (Kagami, Manabu; Sakai, Youichi; Okada, Hiroshi; Ito, Toshio) 27(11)978-984(Nov1988)
Short-wavelength transmission on 1300 nm optimized single-mode fiber (Stern, M.; Way, W. I.; Shah, V.; Romeiser, M. B.; Young, W. C.; Krupsky, J. W.) 27(10)901-908(Oct1988)

Fibers, applications
Amplitude and phase characterisation of polished directional half-couplers with variable refractive index overlays (Brierley, M. C.; Millar, C. A.) 27(1)045-049(Jan1988)

Fibers, characterization
Calculation and measurement of mode transition matrices for differential mode attenuation and differential mode delay characterization of optical fibers (Evers, Gert) 27(2)179-186(Feb1988)
Nondestructive determination of core eccentricity in optical fibers by transverse scanning (Shamir, Joseph; Shamir, Nachum; Karasikov, Nir) 27(7)587-593(Jul1988)
Plasma-enhanced chemical vapor deposition of Ge-Se and Ge-S compounds (Blanc, D.; Wilson, J. I. B.) 27(10)917-921(Oct1988)

Fibers, single-mode
Short-wavelength transmission on 1300 nm optimized single-mode fiber (Stern, M.; Way, W. I.; Shah, V.; Romeiser, M. B.; Young, W. C.; Krupsky, J. W.) 27(10)901-908(Oct1988)

Films
Infrared presensitization photography and ionic conductivity (Geary, Joseph M.) 27(4)321-324(Apr1988)
Multiple quantum well spatial light modulators for optical processing applications (Hsu, T.-Y.; Efron, Uzi; Wu, W.-Y.; Schulman, J. N.; D'Haenens, I. J.; Chang, Yia-Chung) 27(5)372-384(May1988)
New correlation technique for on-line film thickness measurement (Edgar, Roger F.; Hindle, Peter H.) 27(1)050-054(Jan1988)

Filters
Application of binary phase-only correlation to machine vision (Flannery, David L.; Loomis, John S.; Milkovich, Mary E.; Keller, Paul E.) 27(4)309-320(Apr1988)
Landsat data destriping using power spectral filtering (Srinivasan, Ram; Cannon, Michael; White, James) 27(11)939-943(Nov1988)
Multiple beam combination with pupil geometry maintenance (Hentz, Karl P.) 27(9)740-748(Sep1988)
Nonlinear optical image filtering by time-sequential threshold decomposition (Hereford, James M.; Rhodes, William T.) 27(4)274-279(Apr1988)
Optically bistable thin-film interference devices and holographic techniques for experiments in digital optics (Walker, A. C.; Taghizadeh, M. R.; Mathew, J. G. H.; Redmond, I.; Campbell, R. J.; Smith, S. D.; Dempsey, J.; Lebreton, Guy) 27(1)038-044(Jan1988)
Symbolic-substitution-based median filters (Ramamoorthy, P. A.; Antony, S.; Grogan, Timothy A.) 27(5)409-412(May1988)

Flow
Gas Flow and Chemical Lasers. Edited by S. Rosenwaks. (Reviewed by Meinzer, R. A.) (BR) 27(1)SR008(Jan1988)
Holography in an industrial environment (Parker, R. J.; Jones, D. G.) 27(1)055-066(Jan1988)
Interferometric tomography for three-dimensional flow fields via envelope function and orthogonal series decomposition (Cha, Soyoung) 27(7)557-563(Jul1988)

Large-aperture, long-path interferometer for measuring transient thermal fields (He, Anzhi; Yan, Dapeng; Ni, Xiaowu) 27(10)841-844(Oct1988)
New technique to automatically analyze laser digital images of two-phase pipeline flow (Hanzevack, Emil L.; Ju, Chi-Hong) 27(7)528-534(Jul1988)
Speckle-tracking point diffraction interferometer for fluid studies (Giglio, M.; Perini, U.; Paganini, E.) 27(3)197-199(Mar1988)
Velocity measurements in convective flows by particle image velocimetry using a low power laser (Arroyo, M. P.; Yonte, T.; Quintanilla, M.; Saviron, J. M.) 27(8)641-649(Aug1988)

Focus
Capacitive focusing method for microlithography (Nitzan, Meir; Broder, Jack; Eisenberg, Naftali; Levi, Leo) 27(7)512-514(Jul1988)
Layered synthetic microstructure x-ray mirror focusing instrument: bent silicon wafer substrate (Penkethman, J. A.) 27(2)099-103(Feb1988)
Understanding focus effects in submicrometer optical lithography (Mack, Chris A.) 27(12)1093-1100(Dec1988)

Four-wave mixing
Phasar nonlinear optical experimentation: phased far-field return from multiple telescopes by optical wavefront reversal of a reference signal (Klemas, A.; Kramer, M.; Carreras, Richard A.; Clayton, C.) 27(9)722-729(Sep1988)

Fourier optics
Fourier Optics: An Introduction, Second Edition. By E. G. Steward. (Reviewed by Hendry, Michael) (BR) 27(3)SR049-SR050(Mar1988)
Optical interconnection network utilizing diffraction gratings (Lohman, Gary E.; Lohmann, Adolf W.) 27(10)893-900(Oct1988)

Fourier transforms
Application of moire analysis of strain using Fourier transform (Morimoto, Yoshiharu; Seguchi, Yasuyuki; Higashi, Toshihiko) 27(8)650-656(Aug1988)
Digital and analogue holographic associative memories (White, H. J.; Aldridge, N. B.; Lindsay, I.) 27(1)030-037(Jan1988)
Frequency-domain Fourier-Mellin descriptors for invariant pattern recognition (Sheng, Yunlong; Lejeune, Claude; Arsenault, Henri H.) 27(5)354-357(May1988)
Image Recovery: Theory and Application. Edited by Henry Stark. (Reviewed by Tescher, Andrew G.) (BR) 27(1)SR007(Jan1988)
Imaging correlography with sparse arrays of detectors (Fienup, J. R.; idell, Paul S.) 27(9)778-784(Sep1988)
Optical Hough and Fourier processors for product inspection (Casasent, David P.; Richards, Jeffrey) 27(4)258-265(Apr1988)
Optical inspection of manufactured glass using adaptive Fourier filtering (Cormack, R.; Johnson, K. M.; Zhang, Lin; Cathey, W. Thomas) 27(5)358-364(May1988)
Optical/digital analyzer of Fe_2O_3, FeO substrate by Fourier techniques (Gorecki, C.) 27(6)466-470(Jun1988)
Practical optical Fourier analysis for high speed inspection (Clark, David; Casasent, David P.) 27(5)365-371(May1988)
Scientific and research activity at the Department of Physical Optics, Central Optical Laboratory, Warsaw, Poland, from 1983 to 1988 (Pluta, Maksymilian) 27(7)515-523(Jul1988)
Signal Analysis and Estimation—An Introduction. By Ronald D. Fante. (Reviewed by Morgan, Charles J.) (BR) 27(8)SR153(Aug1988)
Simple phase-tracking measurement technique for multichannel Bragg cells (Lee, Jim P. Y.) 27(8)677-683(Aug1988)

Fractures
Blunt crack caustics (Dickerson, Kevin L.; Kim, Kyung-S.) 27(8)611-618(Aug1988)
Caustics by reflection and their application to elastic-plastic and dynamic fracture mechanics (Rosakis, Ares J.; Zehnder, Alan T.; Narasimhan, Ramaratnam) 27(8)596-610(Aug1988)
Determination of stress intensity factors (K_1, K_2, K_3) by the frozen stress method (Smith, C. W.) 27(8)619-624(Aug1988)
Optical analysis of HRR field (Chiang, F. P.; Hareesh, T. V.; Liu, B. C.; Li, S.) 27(8)625-629(Aug1988)
Shadow optical analysis of dynamic shear fracture (Kalthoff, Jorg F.) 27(10)835-840(Oct1988)
Surface and interior crack-tip field measurement by an embedded random speckle method (Chiang, F. P.; Lu, Hua) 27(3)210-213(Mar1988)

Fringe analysis
Combining optical fringe analysis and the finite-element method (Bella, David F.) 27(2)111-114(Feb1988)
Cylindrical fringe carrier technique in holographic interferometry (Long, Pin; Hsu, Da-hsiung; Wang, Ben) 27(10)867-869(Oct1988)
Image processing approach to fringe patterns (Gillies, A. C.) 27(10)861-866(Oct1988)
Particle image velocimetry: automatic fringe analysis by cross-correlation (Kirita, Atsushi; Pickering, Christopher J. D.; Halliwell, Neil A.) 27(3)188-192(Mar1988)

Fusion
Layered synthetic microstructure x-ray mirror focusing instrument: bent silicon wafer substrate (Penkethman, J. A.) 27(2)099-103(Feb1988)

Galvanometers
Digital position encoding of galvanometer scanner in a laser microscope (Liljeborg, Anders) 27(9)818-822(Sep1988)

Geometrical optics
All-spherical four-mirror telescopes corrected for three Seidel aberrations (Lee, Jong Ung; Lee, Sang Soo) 27(6)491-497(Jun1988)
Design of null lens correctors for the testing of astronomical optics (Sasian, Jose M.) 27(12)1051-1056(Dec1988)
Experiments on constrained optimization with Spencer's method (Rayces, Juan L.; Lebich, Lan) 27(12)1031-1034(Dec1988)
Optimization experiments with a double Gauss lens (Brixner, Berlyn; Klein, Morris M.) 27(5)420-423(May1988)
Optimization to eliminate two lens elements that have undesirable shapes (Brixner, Berlyn; Klein, Morris M.) 27(12)1027-1030(Dec1988)
The problem of the "concentric" meniscus element: a possible solution to the lens designer's dilemma (Smith, Warren J.) 27(12)1039-1041(Dec1988)
The triplet: an "embarrassment of riches" (Shafer, David) 27(12)1035-1038(Dec1988)

Glass
Optical inspection of manufactured glass using adaptive Fourier filtering (Cormack, R.; Johnson, K. M.; Zhang, Lin; Cathey, W. Thomas) 27(5)358-364(May1988)
Plasma-enhanced chemical vapor deposition of Ge-Se and Ge-S compounds (Blanc, D.; Wilson, J. I. B.) 27(10)917-921(Oct1988)

Gradient index
Impulse response of a multiaperture vision system eyelet (Driggers, Ron; Halford, Carl; Walters, Roy) 27(9)775-777(Sep1988)
Scientific and research activity at the Department of Physical Optics, Central Optical Laboratory, Warsaw, Poland, from 1983 to 1988 (Pluta, Maksymilian) 27(7)515-523(Jul1988)

Gratings
Applied Optics and Optical Engineering, Volume 10. Edited by Robert R. Shannon and James C. Wyant. (Reviewed by Yoder, Paul R., Jr.) (BR) 27(5)SR091-SR092(May1988)
Composite grating for moire interferometry (Wang, F. X.; Kang, B. S.-J.; Kobayashi, A. S.) 27(7)564-569(Jul1988)
Mirror and grating surface figure requirements for grazing incidence synchrotron radiation beamlines: power loading effects (Hulbert, Steven L.; Sharma, Sushil) 27(6)433-439(Jun1988)
Objective speckle method using stick-on foil and its applications (Han, Jinhu; Tu, Meirong) 27(3)207-209(Mar1988)
Optical interconnection network utilizing diffraction gratings (Lohman, Gary E.; Lohmann, Adolf W.) 27(10)893-900(Oct1988)

Grazing incidence
Highly polished, grazing incidence mirrors developed for synchrotron radiation beam lines at Stanford Synchrotron Radiation Laboratory (Tirsell, K. Glenn; Berglin, E. J.; Fuchs, B. A.; Holdener, F. R.; Humpal, H. H.; Karpenko, V. P.; Kulkarni, S.; Fantone, Stephen D.) 27(11)985-993(Nov1988)
Mirror and grating surface figure requirements for grazing incidence synchrotron radiation beamlines: power loading effects (Hulbert, Steven L.; Sharma, Sushil) 27(6)433-439(Jun1988)

Guided waves
Grating enhanced second harmonic generation through electromagnetic resonances (Reinisch, Raymond; Neviere, Michel; Akhouayri, H.; Coutaz, J. L.; Maystre, D.; Pic, E.) 27(11)961-971(Nov1988)

Heterodyning
Coherent optical radar (Alexander, William; Clark, David L.; Stewart, Corrine A.) 27(1)011-015(Jan1988)

Holograms
Digital and analogue holographic associative memories (White, H. J.; Aldridge, N. B.; Lindsay, I.) 27(1)030-037(Jan1988)
The Complete Book of Holograms—How They Work and How to Make Them. By Joseph E. Kasper and Steven A. Feller. (Reviewed by Caulfield, H. John) (BR) 27(3)SR050(Mar1988)

Holographic optical elements
Optically bistable thin-film interference devices and holographic techniques for experiments in digital optics (Walker, A. C.; Taghizadeh, M. R.; Mathew, J. G. H.; Redmond, I.; Campbell, R. J.; Smith, S. D.; Dempsey, J.; Lebreton, Guy) 27(1)038-044(Jan1988)

Holography
Application of one-step holographic associative memories to symbolic substitution (Yu, Francis T. S.; Zhang, Chenhua; Jutamulia, Suganda) 27(5)399-402(May1988)
Cylindrical fringe carrier technique in holographic interferometry (Long, Pin; Hsu, Da-hsiung; Wang, Ben) 27(10)867-869(Oct1988)
Holographic interferometry applied to a model study of ground vibrations produced from blasting (Carlsson, Torgny E.; Bjarnholt, Gert; Abramson, Nils; Holloway, D. C.) 27(11)923-927(Nov1988)
Nonlinear optical image subtraction for potential industrial applications (Chiou, Arthur E.; Yeh, Pochi; Khoshnevisan, Monte) 27(5)385-392(May1988)
Optically bistable thin-film interference devices and holographic techniques for experiments in digital optics (Walker, A. C.; Taghizadeh, M. R.; Mathew, J. G. H.; Redmond, I.; Campbell, R. J.; Smith, S. D.; Dempsey, J.; Lebreton, Guy) 27(1)038-044(Jan1988)
Sandwich holography for the diffusion process in a liquid solution (Paoletti, D.; Spagnolo, G. Schirripa; D'Altorio, A.) 27(6)486-490(Jun1988)
Scientific and research activity at the Department of Physical Optics, Central Optical Laboratory, Warsaw, Poland, from 1983 to 1988 (Pluta, Maksymilian) 27(7)515-523(Jul1988)
Single relay lens magnification effects in off-axis particle field holography (Vikram, Chandra S.; McDevitt, T. E.) 27(7)570-573(Jul1988)
Vibrational testing of an x-ray concentrator by holographic interferometry (Delvo, P.; Rizzi, M. L.) 27(12)1072-1077(Dec1988)

Holography, applications
Design of photopolymer holograms for optical interconnect applications (Kirsch, James C.; Gregory, Don A.; Hudson, Tracy D.; Lanteigne, David J.) 27(4)301-308(Apr1988)
Holographic interferometry applied at subfreezing temperatures: study of damage in concrete exposed to frost action (Rastogi, Pramod K.; Jacquot, Pierre; Pflug, Leopold) 27(2)172-178(Feb1988)
Holography in an industrial environment (Parker, R. J.; Jones, D. G.) 27(1)055-066(Jan1988)
Sandwich holography for the diffusion process in a liquid solution (Paoletti, D.; Spagnolo, G. Schirripa; D'Altorio, A.) 27(6)486-490(Jun1988)

Holography, rainbow
Rainbow holography for retroreflective objects (Bahuguna, R. D.) 27(3)243-245(Mar1988)

Holospeckle interferometry
Studies of holospeckle interferometry (Li, Q. B.; Chiang, F. P.) 27(3)200-206(Mar1988)

Hough transforms
Optical Hough and Fourier processors for product inspection (Casasent, David P.; Richards, Jeffrey) 27(4)258-265(Apr1988)
Radon transform applications in optical inspection (Simpson, Michael J.; Ervin, P. Anthony; Snyder, Michael A.) 27(2)164-171(Feb1988)

Image enhancement
Feature-based image bandwidth compression (Saghri, John A.; Tescher, Andrew G.) 27(10)854-860(Oct1988)
Grating enhanced second harmonic generation through electromagnetic resonances (Reinisch, Raymond; Neviere, Michel; Akhouayri, H.; Coutaz, J. L.; Maystre, D.; Pic, E.) 27(11)961-971(Nov1988)
Optical pseudocolor image enhancement with real-time large screen display (Chao, Tien-Hsin; Liu, Hua-Kuang) 27(5)393-398(May1988)

Image intensifiers
Compact image-intensifier-coupled Fabry-Perot interferometer for extended astronomical sources (Chandrasekhar, T.; Ashok, N. M.; Debiprasad, C.; Desai, J. N.) 27(1)067-070(Jan1988)

Image processes
Opto-Electronic Imaging. Edited by D. P. Juyal, P. C. Mehta, and M. K. Sharma. (Reviewed by Slegtenhorst, Ronald P.) 27(3)SR050(Mar1988)

Image processing
Application of moire analysis of strain using Fourier transform (Morimoto, Yoshiharu; Seguchi, Yasuyuki; Higashi, Toshihiko) 27(8)650-656(Aug1988)
Automatic endoscope for the in situ study of plant roots (Hueber, J.; Manantsoa, V.; Picard, D.; Sarroca, M.; Schultz, G.) 27(9)801-805(Sep1988)
Feature-based image bandwidth compression (Saghri, John A.; Tescher, Andrew G.) 27(10)854-860(Oct1988)
Half-fringe photoelastic analysis of rectangular plates subjected to transverse loading (Wang, Wei-Chung; Chen, Chun-Yuan; Chen, Wen-Hwa) 27(8)636-640(Aug1988)
Image processing approach to fringe patterns (Gillies, A. C.) 27(10)861-866(Oct1988)
Image sequence processing for target estimation in forward-looking infrared imagery (Mao, Zuhua; Strickland, Robin N.) 27(7)541-549(Jul1988)
Landsat data destriping using power spectral filtering (Srinivasan, Ram; Cannon, Michael; White, James) 27(11)939-943(Nov1988)
Measurement of the Landsat Thematic Mapper modulation transfer function using an array of point sources (Rauchmiller, Robert F., Jr.; Schowengerdt, Robert A.) 27(4)334-343(Apr1988)
Missing cone of frequencies and low-pass distortion in three-dimensional microscopic images (Macias-Garza, Fernando; Bovik, Alan C.; Diller, Kenneth R.) 27(6)461-465(Jun1988)
New technique to automatically analyze laser digital images of two-phase pipeline flow (Hanzevack, Emil L.; Ju, Chi-Hong) 27(7)528-534(Jul1988)
Nonlinear optical image filtering by time-sequential threshold decomposition (Hereford, James M.; Rhodes, William T.) 27(4)274-279(Apr1988)
Optical superresolution using solid-state cameras and digital signal processing (Seitz, Peter) 27(7)535-540(Jul1988)

Image quality
Performance characteristics of phased array and thinned aperture optical telescopes (Harvey, James E.; Rockwell, Richard A.) 27(9)762-768(Sep1988)
Space Telescope performance prediction using the optical surface analysis code (OSAC) (erratum) (Glenn, Paul) 27(10)922(Oct1988)

Image reconstruction
Image Recovery: Theory and Application. Edited by Henry Stark. (Reviewed by Tescher, Andrew G.) (BR) 27(1)SR007(Jan1988)
Imaging correlography with sparse arrays of detectors (Fienup, J. R.; Idell, Paul S.) 27(9)778-784(Sep1988)
Uniqueness features in sampled complex-valued object reconstruction from discrete intensity data (Martinez-Herrero, R.; Sancha, S. G.) 27(6)456-460(Jun1988)

Image restoration
Effects of subpixel image restoration on digital correlation error estimates (Sutton, Michael A.; McNeill, Stephen R.; Jang, Jinseng; Babai, Majid) 27(10)870-877(Oct1988)
Image Recovery: Theory and Application. Edited by Henry Stark. (Reviewed by Tescher, Andrew G.) (BR) 27(1)SR007(Jan1988)
Step size for the general iterative image recovery algorithm (Podilchuk, C. I.; Mammone, R. J.) 27(9)806-811(Sep1988)

Image understanding
Image Understanding 1985-86. Edited by Whitman Richards and Shimon Ullman. (Reviewed by Anandan, P.) (BR) 27(10)SR186-SR188(Oct1988)
New technique to automatically analyze laser digital images of two-phase pipeline flow (Hanzevack, Emil L.; Ju, Chi-Hong) 27(7)528-534(Jul1988)

Imaging
Measurement and modeling of natural desert terrain in the infrared (Ben-Yosef, N.; Wilner, K.; Abitbol, M.) 27(11)928-932(Nov1988)
Site survey instrumentation for the National New Technology Telescope (NNTT) (Forbes, F. F.; Morse, D. A.; Poczulp, G. A.) 27(10)845-853(Oct1988)

Imaging processes
Opto-Electronic Imaging. Edited by D. P. Juyal, P. C. Mehta, and M. K. Sharma. (Reviewed by Slegtenhorst, Ronald P.) (BR) 27(3)SR050(Mar1988)

Imaging systems
Application of anamorphic systems to directional pseudocolor encoding (Millan, M. S.; Ferreira, C.; Pons, A.; Andres, P.) 27(2)129-134(Feb1988)
Compact image-intensifier-coupled Fabry-Perot interferometer for extended astronomical sources(Chandrasekhar, T.; Ashok, N. M.; Debiprasad, C.; Desai, J. N.) 27(1)067-070(Jan1988)
Design considerations for multiple telescope imaging arrays (Weaver, Lawrence D.; Fender, Janet S.; De Hainaut, Christopher R.) 27(9)730-735(Sep1988)
Image sequence processing for target estimation in forward-looking infrared imagery (Mao, Zuhua; Strickland, Robin N.) 27(7)541-549(Jul1988)
Linearity of direct injection in an InSb photodiode/Si charge-coupled device imager (Hopkins, F. K.; Boyd, J. T.) 27(8)701-704(Aug1988)
Performance characteristics of phased array and thinned aperture optical telescopes (Harvey, James E.; Rockwell, Richard A.) 27(9)762-768(Sep1988)
Stray light measurement for imaging systems (Yaeli, Joseph M.) 27(1)086-087(Jan1988)

Industrial optics
Amplitude and phase characterisation of polished directional half-couplers with variable refractive index overlays (Brierley, M. C.; Millar, C. A.) 27(1)045-049(Jan1988)
Coherent optical radar (Alexander, William; Clark, David L.; Stewart, Corrine A.) 27(1)011-015(Jan1988)
Current trends in optics for projection TV (Clarke, John A.) 27(1)016-022(Jan1988)
Digital and analogue holographic associative memories (White, H. J.; Aldridge, N. B.; Lindsay, I.) 27(1)030-037(Jan1988)
Holography in an industrial environment (Parker, R. J.; Jones, D. G.) 27(1)055-066(Jan1988)
Investigation of the wavelength-dependent transmission characteristics of optical fibre sensor systems (Jones, Robert; Jones, Keith W.) 27(1)023-029(Jan1988)
New correlation technique for on-line film thickness measurement (Edgar, Roger F.; Hindle, Peter H.) 27(1)050-054(Jan1988)
Optically bistable thin-film interference devices and holographic techniques for experiments in digital optics (Walker, A. C.; Taghizadeh, M. R.; Mathew, J. G. H.; Redmond, I.; Campbell, R. J.; Smith, S. D.; Dempsey, J.; Lebreton, Guy) 27(1)038-044(Jan1988)
Progress of Industrial Optics in the United Kingdom (Baker, Lionel R.; Dainty, J. Christopher) (Ed) 27(1)001(Jan1988)
Recent progress in lithium niobate integrated optics technology under a collaborative Joint Opto-Electronics Research Scheme (JOERS) programme (Grant, M. F.; Donaldson, A.; Gibson, D. R.; Wale, M.) 27(1)002-010(Jan1988)

Information processing
Application of binary phase-only correlation to machine vision (Flannery, David L.; Loomis, John S.; Milkovich, Mary E.; Keller, Paul E.) 27(4)309-320(Apr1988)
Detection of multiple views of an object in the presence of clutter (Ochoa, Ellen; Schils, George F.; Sweeney, Donald W.) 27(4)266-273(Apr1988)
Wavefront error measurement technique using extended, incoherent light sources (von der Luhe, O.) 27(12)1078-1087(Dec1988)

Infrared
1/f optimization for a complementary metal oxide semiconductor focal plane array input circuit (Martin, Robert James; Herzog, William R.) 27(3)246-249(Mar1988)
All-spherical four-mirror telescopes corrected for three Seidel aberrations (Lee, Jong Ung; Lee, Sang Soo) 27(6)491-497(Jun1988)
Image sequence processing for target estimation in forward-looking infrared imagery (Mao, Zuhua; Strickland, Robin N.) 27(7)541-549(Jul1988)
Infrared presensitization photography and ionic conductivity (Geary, Joseph M.) 27(4)321-324(Apr1988)
Infrared transient sensing (Coon, D. D.; Karunasiri, R. P. G.; Bandara, K. M. S. V.) 27(6)471-474(Jun1988)
Measurement and modeling of natural desert terrain in the infrared (Ben-Yosef, N.; Wilner, K.; Abitbol, M.) 27(11)928-932(Nov1988)
On-line control of surface contamination during gas tungsten arc welding (Lin, Ted T.; Lin, H. T.; Chin, Bryan A.) 27(5)413-419(May1988)
Plasma-enhanced chemical vapor deposition of Ge-Se and Ge-S compounds (Blanc, D.; Wilson, J. I. B.) 27(10)917-921(Oct1988)
Site survey instrumentation for the National New Technology Telescope (NNTT) (Forbes, F. F.; Morse, D. A.; Poczulp, G. A.) 27(10)845-853(Oct1988)
Structure of the extended emission in the infrared celestial background (Price, Stephan D.) 27(1)075-085(Jan1988)

Infrared images
1/f optimization for a complementary metal oxide semiconductor focal plane array input circuit (Martin, Robert James; Herzog, William R.) 27(3)246-249(Mar1988)

Integrated circuits
1/f optimization for a complementary metal oxide semiconductor focal plane array input circuit (Martin, Robert James; Herzog, William R.) 27(3)246-249(Mar1988)

Integrated optics
Fast optical detector deposited on dielectric channel waveguides (Larson, Donald R.; Phelan, Robert J., Jr.) 27(6)503-506(Jun1988)
Recent progress in lithium niobate integrated optics technology under a collaborative Joint Opto-Electronics Research Scheme (JOERS) programme (Grant, M. F.; Donaldson, A.; Gibson, D. R.; Wale, M.) 27(1)002-010(Jan1988)

Integrators
Channel integrator for laser beam uniformity on target (Geary, Joseph M.) 27(11)972-977(Nov1988)
Multifaceted laser beam integrators: general formulation and design concepts (Dickey, Fred M.; O'Neil, Burton D.) 27(11)999-1007(Nov1988)

Interconnects
Fiber-optic crossbar switch with broadcast capability (Dias, Antonio R.; Kalman, Robert F.; Goodman, Joseph W.; Sawchuk, Alexander A.) 27(11)955-960(Nov1988)
Optical interconnection network utilizing diffraction gratings (Lohman, Gary E.; Lohmann, Adolf W.) 27(10)893-900(Oct1988)
Timing uncertainty for receivers in optical clock distribution for VLSI (Clymer, Bradley D.; Goodman, Joseph W.) 27(11)944-954(Nov1988)

Interference
New correlation technique for on-line film thickness measurement (Edgar, Roger F.; Hindle, Peter H.) 27(1)050-054(Jan1988)

Interferometers
Automated optical observatory for thermospheric dynamics studies (Biondi, M. A.; Zipf, M. E.; Olmsted, R. A.) 27(10)909-916(Oct1988)
Compact image-intensifier-coupled Fabry-Perot interferometer for extended astronomical sources (Chandrasekhar, T.; Ashok, N. M.; Debiprasad, C.; Desai, J. N.) 27(1)067-070(Jan1988)
Design of a white light radial shear interferometer for segmented mirror control (Horton, Richard F.) 27(12)1063-1066(Dec1988)
Frequency stabilization of a diode laser to a Fabry-Perot interferometer (Chung, Yun C.; Shay, T. M.) 27(5)424-427(May1988)
Speckle-tracking point diffraction interferometer for fluid studies (Giglio, M.; Perini, U.; Paganini, E.) 27(3)197-199(Mar1988)

Interferometry
Applied Optics and Optical Engineering, Volume 10. Edited by Robert R. Shannon and James C. Wyant. (Reviewed by Yoder, Paul R., Jr.) (BR) 27(5)SR091-SR092(May1988)
Caustics by reflection and their application to elastic-plastic and dynamic fracture mechanics (Rosakis, Ares J.; Zehnder, Alan T.; Narasimhan, Ramaratnam) 27(8)596-610(Aug1988)
Composite grating for moire interferometry (Wang, F. X.; Kang, B. S.-J.; Kobayashi, A. S.) 27(7)564-569(Jul1988)
Compressive creep strain measurements using moire interferometry (Tuttle, M. E.; Klein, R. J.) 27(8)630-635(Aug1988)
Cylindrical fringe carrier technique in holographic interferometry (Long, Pin; Hsu, Da-hsiung; Wang, Ben) 27(10)867-869(Oct1988)
Flatness analysis of hard disks (Kafri, Oded; Kreske, Kathi) 27(10)878-882(Oct1988)

Holographic interferometry applied at subfreezing temperatures: study of damage in concrete exposed to frost action (Rastogi, Pramod K.; Jacquot, Pierre; Pflug, Leopold) 27(2)172-178(Feb1988)
Holographic interferometry applied to a model study of ground vibrations produced from blasting (Carlsson, Torgny E.; Bjarnholt, Gert; Abramson, Nils; Holloway, D. C.) 27(11)923-927(Nov1988)
Holography in an industrial environment (Parker, R. J.; Jones, D. G.) 27(1)055-066(Jan1988)
Imaging correlography with sparse arrays of detectors (Fienup, J. R.; Idell, Paul S.) 27(9)778-784(Sep1988)
Improvements in the experimental techniques of moire interferometry (Pirodda, Luciano) 27(3)219-224(Mar1988)
Interferometric tomography for three-dimensional flow fields via envelope function and orthogonal series decomposition (Cha, Soyoung) 27(7)557-563(Jul1988)
Large-aperture, long-path interferometer for measuring transient thermal fields (He, Anzhi; Yan, Dapeng; Ni, Xiaowu) 27(10)841-844(Oct1988)
Long-distance electronic speckle pattern interferometry (Lokberg, Ole J.; Malmo, Jan T.) 27(2)150-156(Feb1988)
Nonlinear optical image subtraction for potential industrial applications (Chiou, Arthur E.; Yeh, Pochi; Khoshnevisan, Monte) 27(5)385-392(May1988)
Studies of holospeckle interferometry (Li, Q. B.; Chiang, F. P.) 27(3)200-206(Mar1988)
Vibrational testing of an x-ray concentrator by holographic interferometry (Delvo, P.; Rizzi, M. L.) 27(12)1072-1077(Dec1988)

Lasers
Channel integrator for laser beam uniformity on target (Geary, Joseph M.) 27(11)972-977(Nov1988)
Design of multilamp nonimaging laser pump cavities (Kuppenheimer, J. D., Jr.) 27(12)1067-1071(Dec1988)
Laser Remote Chemical Analysis. Edited by Raymond M. Measures. (Reviewed by Hall, Freeman F., Jr.) (BR) 27(12)SR227(Dec1988)
Lasers: Invention to Application. Edited by Jesse H. Ausubel and H. Dale Langford. (Reviewed by Guenther, Arthur H.) (BR) 27(11)SR210-SR211(Nov1988)
Multifaceted laser beam integrators: general formulation and design concepts (Dickey, Fred M.; O'Neil, Burton D.) 27(11)999-1007(Nov1988)
Optimization to eliminate two lens elements that have undesirable shapes (Brixner, Berlyn; Klein, Morris M.) 27(12)1027-1030(Dec1988)
Short-wavelength transmission on 1300 nm optimized single-mode fiber (Stern, M.; Way, W. I.; Shah, V.; Romeiser, M. B.; Young, W. C.; Krupsky, J. W.) 27(10)901-908(Oct1988)

Lasers, applications
Digital position encoding of galvanometer scanner in a laser microscope (Liljeborg, Anders) 27(9)818-822(Sep1988)
Holography in an industrial environment (Parker, R. J.; Jones, D. G.) 27(1)055-066(Jan1988)
Laser measurement system for precise and fast positioning (Mori, Sadao; Akatsu, Toshio; Miyazaki, Chuuichi) 27(9)823-829(Sep1988)
Laser Processing of Thin Films and Microstructures. By Ian W. Boyd. (Reviewed by Lee, Richard) (BR) 27(7)SR134(Jul1988)
Lasers: Invention to Application. Edited by Jesse H. Ausubel and H. Dale Langford. (Reviewed by Guenther, Arthur H.) (BR) 27(11)SR210-SR211(Nov1988)

Lasers, carbon dioxide
Coherent optical radar (Alexander, William; Clark, David L.; Stewart, Corrine A.) 27(1)011-015(Jan1988)

Lasers, chemical
Gas Flow and Chemical Lasers. Edited by S. Rosenwaks. (Reviewed by Meinzer, R. A.) (BR) 27(1)SR008(Jan1988)

Lasers, diode
Frequency stabilization of a diode laser to a Fabry-Perot interferometer (Chung, Yun C.; Shay, T. M.) 27(5)424-427(May1988)
Wideband laser diode transmitter for free-space communication (Smith, Robert J.; Casey, William L.; Begley, David L.) 27(4)344-351(Apr1988)

Lasers, neodymium
End-pumped Nd:BEL laser performance (Scheps, Richard; Myers, Joseph; Schimitschek, E. J.; Heller, D. F.) 27(9)830-834(Sep1988)

Lasers, semiconductor
Femtosecond characterization of semiconductor lasers (DeFonzo, Alfred P.) 27(8)696-700(Aug1988)

Lasers, single mode
Mode partition noise in nearly single mode lasers with multiple side modes (Lakshmanasamy, S.; Mitra, S. S.) 27(9)812-817(Sep1988)

Lasers, solid-state
End-pumped Nd:BEL laser performance (Scheps, Richard; Myers, Joseph; Schimitschek, E. J.; Heller, D. F.) 27(9)830-834(Sep1988)
Folded cavity design for a ruby resonator (Arunkumar, K. A.; Trolinger, James D.) 27(8)657-662(Aug1988)

Lasers, tunable
Tunable Lasers. Edited by L. F. Mollenauer and J. C. White. (Reviewed by Byvik, Charles E.) (BR) 27(4)SR071(Apr1988)

Lenses
Applied Optics and Optical Engineering, Volume 10. Edited by Robert R. Shannon and James C. Wyant. (Reviewed by Yoder, Paul R., Jr.) (BR) 27(5)SR091-SR092(May1988)
Design of photopolymer holograms for optical interconnect applications (Kirsch, James C.; Gregory, Don A.; Hudson, Tracy D.; Lanteigne, David J.) 27(4)301-308(Apr1988)
Impulse response of a multiaperture vision system eyelet (Driggers, Ron; Halford, Carl; Walters, Roy) 27(9)775-777(Sep1988)
Optical design 1937 to 1988...Where to from here? (Hopkins, Robert E.) 27(12)1019-1026(Dec1988)
Optimization experiments with a double Gauss lens (Brixner, Berlyn; Klein, Morris M.) 27(5)420-423(May1988)
Single relay lens magnification effects in off-axis particle field holography (Vikram, Chandra S.; McDevitt, T. E.) 27(7)570-573(Jul1988)
The problem of the "concentric" meniscus element: a possible solution to the lens designer's dilemma (Smith, Warren J.) 27(12)1039-1041(Dec1988)
The triplet: an "embarrassment of riches" (Shafer, David) 27(12)1035-1038(Dec1988)
Wide field of view three-mirror telescopes having a common optical axis (Johnson, R. Barry) 27(12)1046-1050(Dec1988)

Lidar
Coherent optical radar (Alexander, William; Clark, David L.; Stewart, Corrine A.) 27(1)011-015(Jan1988)
Electronically agile multiple aperture imager receiver (Henshaw, Philip D.; Lees, David E. B.) 27(9)793-800(Sep1988)

Light
Light. By Michael Sobel. (Reviewed by Hall, Freeman F., Jr.) (BR) 27(4)SR071-SR072(Apr1988)

Lithium niobate
Laser measurement system for precise and fast positioning (Mori, Sadao; Akatsu, Toshio; Miyazaki, Chuuichi) 27(9)823-829(Sep1988)
Recent progress in lithium niobate integrated optics technology under a collaborative Joint Opto-Electronics Research Scheme (JOERS) programme (Grant, M. F.; Donaldson, A.; Gibson, D. R.; Wale, M.) 27(1)002-010(Jan1988)

Lithography
Development of a compact synchrotron radiation system for x-ray lithography (Takada, Hiroshi; Furukawa, Kouhei; Tomimasu, Takio) 27(7)550-556(Jul1988)
Electron beam lithography and nanometer structures: fabrication of microzone plates (Bogli, V.; Unger, P.; Beneking, H.; Niemann, B.; Guttmann, P.; Meyer-Ilse, W.) 27(2)143-149(Feb1988)
Understanding focus effects in submicrometer optical lithography (Mack, Chris A.) 27(12)1093-1100(Dec1988)

Local area networks
Plastic optical fiber tap (Kagami, Manabu; Sakai, Youichi; Okada, Hiroshi; Ito, Toshio) 27(11)978-984(Nov1988)

Logic
Optical representations for symbolic logic (Schmidt, Rodney A.; Cathey, W. Thomas) 27(6)475-481(Jun1988)
Optically bistable thin-film interference devices and holographic techniques for experiments in digital optics (Walker, A. C.; Taghizadeh, M. R.; Mathew, J. G. H.; Redmond, I.; Campbell, R. J.; Smith, S. D.; Dempsey, J.; Lebreton, Guy) 27(1)038-044(Jan1988)

Logic devices
Space-bandwidth product and crosstalk of spatial filtering methods for performing binary logic optically (Weigelt, Jutta) 27(10)883-892(Oct1988)

Machine vision
Application of binary phase-only correlation to machine vision (Flannery, David L.; Loomis, John S.; Milkovich, Mary E.; Keller, Paul E.) 27(4)309-320(Apr1988)
Practical optical Fourier analysis for high speed inspection (Clark, David; Casasent, David P.) 27(5)365-371(May1988)

Materials
Holography in an industrial environment (Parker, R. J.; Jones, D. G.) 27(1)055-066(Jan1988)
Laser Processing of Thin Films and Microstructures. By Ian W. Boyd. (Reviewed by Lee, Richard) (BR) 27(7)SR134(Jul1988)

Matrix multiplication
Error detection and correction in multilevel algebraic optical processors (Oh, S.; Park, D. C.; Marks, Robert J., II; Atlas, L. E.) 27(4)289-294(Apr1988)

Medicine
Application of cathode-ray tube technology to the clinical evaluation of visual functions (Vernier, Francoise; Charlier, Jacques; Nguyen, Duc Dung) 27(2)123-128(Feb1988)
Film-based digital tomosynthesis of the chest (Sherrier, Robert H.; Suddarth, Steven A.; Johnson, G. Allan) 27(8)691-695(Aug1988)

Meteorology
Site survey instrumentation for the National New Technology Telescope (NNTT) (Forbes, F. F.; Morse, D. A.; Poczulp, G. A.) 27(10)845-853(Oct1988)

Metrology
Development of a high resolution sensor for surface roughness (Mitsui, Kimiyuki; Sakai, Makoto; Kizuka, Yoshitsugu) 27(6)498-502(Jun1988)
Flatness analysis of hard disks (Kafri, Oded; Kreske, Kathi) 27(10)878-882(Oct1988)
Holographic interferometry applied at subfreezing temperatures: study of damage in concrete exposed to frost action (Rastogi, Pramod K.; Jacquot, Pierre; Pflug, Leopold) 27(2)172-178(Feb1988)
Instrumentation to measure the diffuse thickness of scattering dispersions (Birth, Gerald S.; Fyhn, Per-Gunnar; Frank, Joseph) 27(5)403-408(May1988)
Laser measurement system for precise and fast positioning (Mori, Sadao; Akatsu, Toshio; Miyazaki, Chuuichi) 27(9)823-829(Sep1988)
New correlation technique for on-line film thickness measurement (Edgar, Roger F.; Hindle, Peter H.) 27(1)050-054(Jan1988)
Optical superresolution using solid-state cameras and digital signal processing (Seitz, Peter) 27(7)535-540(Jul1988)
Optical/digital analyzer of Fe_2O_3, FeO substrate by Fourier techniques (Gorecki, C.) 27(6)466-470(Jun1988)
Sandwich holography for the diffusion process in a liquid solution (Paoletti, D.; Spagnolo, G. Schirripa; D'Altorio, A.) 27(6)486-490(Jun1988)

Microlithography
Capacitive focusing method for microlithography (Nitzan, Meir; Broder, Jack; Fisenberg, Naftali; Levi, Leo) 27(7)512-514(Jul1988)
Understanding focus effects in submicrometer optical lithography (Mack, Chris A.) 27(12)1093-1100(Dec1988)

Microscopes
Digital position encoding of galvanometer scanner in a laser microscope (Liljeborg, Anders) 27(9)818-822(Sep1988)

Microscopy
Advances in Optical and Electron Microscopy, Volume 10. Edited by R. Barer and V. E. Cosslett. (Reviewed by Thompson, Brian J.) (BR) 27(6)SR111(Jun1988)
Missing cone of frequencies and low-pass distortion in three-dimensional microscopic images (Macias-Garza, Fernando; Bovik, Alan C.; Diller, Kenneth R.) 27(6)461-465(Jun1988)
Scientific and research activity at the Department of Physical Optics, Central Optical Laboratory, Warsaw, Poland, from 1983 to 1988 (Pluta, Maksymilian) 27(7)515-523(Jul1988)

Mirrors
Active optics correction of thermal distortion of a 1.8 meter mirror (Pearson, E.; Stepp, L.; Fox, J.) 27(2)115-122(Feb1988)
All-spherical four-mirror telescopes corrected for three Seidel aberrations (Lee, Jong Ung; Lee, Sang Soo) 27(6)491-497(Jun1988)
Design of a 360 mm focal length, f/3.6 spectrograph objective (Powell, Ian) 27(12)1042-1045(Dec1988)
Design of a white light radial shear interferometer for segmented mirror control (Horton, Richard F.) 27(12)1063-1066(Dec1988)
Development of a precision diamond turning machine for fabrication of asymmetric aspheric mirrors (Moriyama, Shigeo; Uchida, Fumihiko; Seya, Eiichi) 27(11)1008-1012(Nov1988)
Experimental study of mirror segment phasing using tungsten light (Watson, J. T.) 27(9)758-761(Sep1988)
Highly polished, grazing incidence mirrors developed for synchrotron radiation beam lines at Stanford Synchrotron Radiation Laboratory (Tirsell, K. Glenn; Berglin, E. J.; Fuchs, B. A.; Holdener, F. R.; Humpal, H. H.; Karpenko, V. P.; Kulkarni, S.; Fantone, Stephen D.) 27(11)985-993(Nov1988)
Layered synthetic microstructure x-ray mirror focusing instrument: bent silicon wafer substrate (Penkethman, J. A.) 27(2)099-103(Feb1988)
Mirror and grating surface figure requirements for grazing incidence synchrotron radiation beamlines: power loading effects (Hulbert, Steven L.; Sharma, Sushil) 27(6)433-439(Jun1988)
Multifaceted laser beam integrators: general formulation and design concepts (Dickey, Fred M.; O'Neil, Burton D.) 27(11)999-1007(Nov1988)
Recent applications of metal matrix composites in precision instruments and optical systems (Mohn, Walter R.; Vukobratovich, Daniel) 27(2)090-098(Feb1988)
Spectroscopic survey telescope design I: primary mirror structure and support (Ray, F. B.; Krishnamachari, S. V.) 27(9)769-774(Sep1988)
Testing large hyperbolic secondary mirrors (Parks, Robert E.; Shao, Lian Zhen) 27(12)1057-1062(Dec1988)
Wide field of view three-mirror telescopes having a common optical axis (Johnson, R. Barry) 27(12)1046-1050(Dec1988)

Modes
Calculation and measurement of mode transition matrices for differential mode attenuation and differential mode delay characterization of optical fibers (Evers, Gert) 27(2)179-186(Feb1988)
Mode partition noise in nearly single mode lasers with multiple side modes (Lakshmanasamy, S.; Mitra, S. S.) 27(9)812-817(Sep1988)
Plastic optical fiber tap (Kagami, Manabu; Sakai, Youichi; Okada, Hiroshi; Ito, Toshio) 27(11)978-984(Nov1988)
Short-wavelength transmission on 1300 nm optimized single-mode fiber (Stern, M.; Way, W. I.; Shah, V.; Romeiser, M. B.; Young, W. C.; Krupsky, J. W.) 27(10)901-908(Oct1988)

Modulation
General analysis of frequency-modulation reticles (Chao, Zu Wen; Chu, Jih Liang) 27(6)440-442(Jun1988)
Optical pulse modulation and optical hysteresis in a nonlinear cadmium sulfide etalon at room temperature (Petersen, Paul Michael) 27(3)234-237(Mar1988)
Parameter analysis for frequency-modulation reticle design (Chao, Zu Wen; Chu, Jih Liang) 27(6)443-451(Jun1988)

Modulation transfer function
Measurement of the Landsat Thematic Mapper modulation transfer function using an array of point sources (Rauchmiller, Robert F., Jr.; Schowengerdt, Robert A.) 27(4)334-343(Apr1988)
Stray light measurement for imaging systems (Yaeli, Joseph M.) 27(1)086-087(Jan1988)

Moire patterns
Application of moire analysis of strain using Fourier transform (Morimoto, Yoshiharu; Seguchi, Yasuyuki; Higashi, Toshihiko) 27(8)650-656(Aug1988)
Composite grating for moire interferometry (Wang, F. X.; Kang, B. S.-J.; Kobayashi, A. S.) 27(7)564-569(Jul1988)
Compressive creep strain measurements using moire interferometry (Tuttle, M. E.; Klein, R. J.) 27(8)630-635(Aug1988)
Flatness analysis of hard disks (Kafri, Oded; Kreske, Kathi) 27(10)878-882(Oct1988)
Improvements in the experimental techniques of moire interferometry (Pirodda, Luciano) 27(3)219-224(Mar1988)
Moire strain gauge with high sensitivity (Chiang, F. P.; Yuan, C. L.; Krishnamurth, R.) 27(3)231-233(Mar1988)

Optical analysis of HRR field (Chiang, F. P.; Hareesh, T. V.; Liu, B. C.; Li, S.) 27(8)625-629(Aug1988)

Motion detection
Comparison of three motion detection techniques (Bernat, Andrew P.; Riter, Stephen; Nelan, Joseph) 27(7)524-527(Jul1988)

Multiple-aperture optical systems
Demonstration of an optically phased telescope array (Fender, Janet S.; Carreras, Richard S.) 27(9)706-711(Sep1988)
Design considerations for multiple telescope imaging arrays (Weaver, Lawrence D.; Fender, Janet S.; De Hainaut, Christopher R.) 27(9)730-735(Sep1988)
Design of a wide field of view phased array telescope (De Hainaut, Christopher R.; Hentz, Karl P.; Weaver, Lawrence D.; Gonglewski, John D.) 27(9)736-739(Sep1988)
Digital optical control system (Jordan, David H.; Tipton, Charles A.; Christmann, Charles E.; Hochhausler, Nils P.) 27(9)755-757(Sep1988)
Electronically agile multiple aperture imager receiver (Henshaw, Philip D.; Lees, David E. B.) 27(9)793-800(Sep1988)
Experimental study of mirror segment phasing using tungsten light (Watson, J. T.) 27(9)758-761(Sep1988)
Imaging correlography with sparse arrays of detectors (Fienup, J. R.; Idell, Paul S.) 27(9)778-784(Sep1988)
Implementation of optical path length and tilt control in a phased array system (Voelz, David G.; Russell, David A.; Wallentine, Patricia J.; Carreras, Richard A.) 27(9)712-717(Sep1988)
Impulse response of a multiaperture vision system eyelet (Driggers, Ron; Halford, Carl; Walters, Roy) 27(9)775-777(Sep1988)
Multiple beam combination with pupil geometry maintenance (Hentz, Karl P.) 27(9)740-748(Sep1988)
Multiple-Aperture Optical Systems (Fender, Janet S.) (Ed) 27(9)705(Sep1988)
Optical and mechanical design aspects of a four-telescope array for combined imaging (Lampkin, Curt M.; Flint, Graham W.; MacFarlane, Malcolm J.) 27(9)749-754(Sep1988)
Performance characteristics of phased array and thinned aperture optical telescopes (Harvey, James E.; Rockwell, Richard A.) 27(9)762-768(Sep1988)
Phasar nonlinear optical experimentation: phased far-field return from multiple telescopes by optical wavefront reversal of a reference signal (Klemas, A.; Kramer, M.; Carreras, Richard A.; Clayton, C.) 27(9)722-729(Sep1988)
Phased array system using the far-field point spread function (Hennessy, Corey J.; Tipton, Charles A.; Wallentine, Patricia J.) 27(9)718-721(Sep1988)
Spectroscopic survey telescope design I: primary mirror structure and support (Ray, F. B.; Krishnamachari, S. V.) 27(9)769-774(Sep1988)
System design of a wavefront sensing package for a wide field of view optical phased array (Gonglewski, John D.; De Hainaut, Christopher R.; Lampkin, Curt M.; Dymale, Raymond C.) 27(9)785-792(Sep1988)

Multiplexing
Wideband laser diode transmitter for free-space communication (Smith, Robert J.; Casey, William L.; Begley, David L.) 27(4)344-351(Apr1988)

Networks
Plastic optical fiber tap (Kagami, Manabu; Sakai, Youichi; Okada, Hiroshi; Ito, Toshio) 27(11)978-984(Nov1988)
Short-wavelength transmission on 1300 nm optimized single-mode fiber (Stern, M.; Way, W. I.; Shah, V.; Romeiser, M. B.; Young, W. C.; Krupsky, J. W.) 27(10)901-908(Oct1988)

Neural networks
Digital and analogue holographic associative memories (White, H. J.; Aldridge, N. B.; Lindsay, I.) 27(1)030-037(Jan1988)
Infrared transient sensing (Coon, D. D.; Karunasiri, R. P. G.; Bandara, K. M. S. V.) 27(6)471-474(Jun1988)

Noise
Image sequence processing for target estimation in forward-looking infrared imagery (Mao, Zuhua; Strickland, Robin N.) 27(7)541-549(Jul1988)
Mode partition noise in nearly single mode lasers with multiple side modes (Lakshmanasamy, S.; Mitra, S. S.) 27(9)812-817(Sep1988)
Short-wavelength transmission on 1300 nm optimized single-mode fiber (Stern, M.; Way, W. I.; Shah, V.; Romeiser, M. B.; Young, W. C.; Krupsky, J. W.) 27(10)901-908(Oct1988)

Nondestructive testing
Holography in an industrial environment (Parker, R. J.; Jones, D. G.) 27(1)055-066(Jan1988)
Nondestructive determination of core eccentricity in optical fibers by transverse scanning (Shamir, Joseph; Shamir, Nachum; Karasikov, Nir) 27(7)587-593(Jul1988)

Nonlinear optics
Nonlinear optical image subtraction for potential industrial applications (Chiou, Arthur E.; Yeh, Pochi; Khoshnevisan, Monte) 27(5)385-392(May1988)
Optical pulse modulation and optical hysteresis in a nonlinear cadmium sulfide etalon at room temperature (Petersen, Paul Michael) 27(3)234-237(Mar1988)

Optical arrays
Design considerations for multiple telescope imaging arrays (Weaver, Lawrence D.; Fender, Janet S.; De Hainaut, Christopher R.) 27(9)730-735(Sep1988)

Optical communications
Comparison of optical technologies for intersatellite links in a global telecommunications network (Marshalek, Robert G.; Koepf, Gerhard A.) 27(8)663-676(Aug1988)
Determination of a variable-spacing array's applicability as the NASA Advanced Communication Test Satellite intersatellite communication system transmitter (Fuhr, Peter L.; Davidson, Frederic M.) 27(3)238-242(Mar1988)
Fiber Optic Communications, Second Edition. By Joseph C. Palais. (Reviewed by Menendez, R. C.) (BR) 27(11)SR209-SR210(Nov1988)
Mode partition noise in nearly single mode lasers with multiple side modes (Lakshmanasamy, S.; Mitra, S. S.) 27(9)812-817(Sep1988)
Optical architecture for acousto-optic space integrating correlator (Yu, Francis T. S.; Nagata, Toshio) 27(7)507-511(Jul1988)
Precision pointing and tracking between satellite-borne optical systems (Held, K. J.; Barry, J. D.) 27(4)325-333(Apr1988)
Short-wavelength transmission on 1300 nm optimized single-mode fiber (Stern, M.; Way, W. I.; Shah, V.; Romeiser, M. B.; Young, W. C.; Krupsky, J. W.) 27(10)901-908(Oct1988)
Wideband laser diode transmitter for free-space communication (Smith, Robert J.; Casey, William L.; Begley, David L.) 27(4)344-351(Apr1988)

Optical computing
Application of one-step holographic associative memories to symbolic substitution (Yu, Francis T. S.; Zhang, Chenhua; Jutamulia, Suganda) 27(5)399-402(May1988)
Optical interconnection network utilizing diffraction gratings (Lohman, Gary E.; Lohmann, Adolf W.) 27(10)893-900(Oct1988)
Optical representations for symbolic logic (Schmidt, Rodney A.; Cathey, W. Thomas) 27(6)475-481(Jun1988)
Optically bistable thin-film interference devices and holographic techniques for experiments in digital optics (Walker, A. C.; Taghizadeh, M. R.; Mathew, J. G. H.; Redmond, I.; Campbell, R. J.; Smith, S. D.; Dempsey, J.; Lebreton, Guy) 27(1)038-044(Jan1988)

Optical computing, digital
Digital and analogue holographic associative memories (White, H. J.; Aldridge, N. B.; Lindsay, I.) 27(1)030-037(Jan1988)
Optical interconnection network utilizing diffraction gratings (Lohman, Gary E.; Lohmann, Adolf W.) 27(10)893-900(Oct1988)
Space-bandwidth product and crosstalk of spatial filtering methods for performing binary logic optically (Weigelt, Jutta) 27(10)883-892(Oct1988)

Optical design
Active optics correction of thermal distortion of a 1.8 meter mirror (Pearson, E.; Stepp, L.; Fox, J.) 27(2)115-122(Feb1988)
All-spherical four-mirror telescopes corrected for three Seidel aberrations (Lee, Jong Ung; Lee, Sang Soo) 27(6)491-497(Jun1988)
Control of low inertia galvanometers for high precision laser scanning systems (Blais, Francois) 27(2)104-110(Feb1988)
Design of a 360 mm focal length, f/3.6 spectrograph objective (Powell, Ian) 27(12)1042-1045(Dec1988)
Design of a white light radial shear interferometer for segmented mirror control (Horton, Richard F.) 27(12)1063-1066(Dec1988)
Design of multilamp nonimaging laser pump cavities (Kuppenheimer, J. D., Jr.) 27(12)1067-1071(Dec1988)

Design of null lens correctors for the testing of astronomical optics (Sasian, Jose M.) 27(12)1051-1056(Dec1988)
Experiments on constrained optimization with Spencer's method (Rayces, Juan L.; Lebich, Lan) 27(12)1031-1034(Dec1988)
Optical and mechanical design aspects of a four-telescope array for combined imaging (Lampkin, Curt M.; Flint, Graham W.; MacFarlane, Malcolm J.) 27(9)749-754(Sep1988)
Optical Design (Londono, Carmina; Van Tassell, Jon) (Ed) 27(12)1017-1018(Dec1988)
Optical design 1937 to 1988...Where to from here? (Hopkins, Robert E.) 27(12)1019-1026(Dec1988)
Optimization experiments with a double Gauss lens (Brixner, Berlyn; Klein, Morris M.) 27(5)420-423(May1988)
Optimization to eliminate two lens elements that have undesirable shapes (Brixner, Berlyn; Klein, Morris M.) 27(12)1027-1030(Dec1988)
Recent applications of metal matrix composites in precision instruments and optical systems (Mohn, Walter R.; Vukobratovich, Daniel) 27(2)090-098(Feb1988)
Testing large hyperbolic secondary mirrors (Parks, Robert E.; Shao, Lian Zhen) 27(12)1057-1062(Dec1988)
The problem of the "concentric" meniscus element: a possible solution to the lens designer's dilemma (Smith, Warren J.) 27(12)1039-1041(Dec1988)
The triplet: an "embarrassment of riches" (Shafer, David) 27(12)1035-1038(Dec1988)

Optical engineering
Applied Optics and Optical Engineering, Volume 10. Edited by Robert R. Shannon and James C. Wyant. (Reviewed by Yoder, Paul R., Jr.) (BR) 27(5)SR091-SR092(May1988)
Layered synthetic microstructure x-ray mirror focusing instrument: bent silicon wafer substrate (Penkethman, J. A.) 27(2)099-103(Feb1988)
Optical design 1937 to 1988...Where to from here? (Hopkins, Robert E.) 27(12)1019-1026(Dec1988)
Optomechanical Instrument Design (Vukobratovich, Daniel) (Ed) 27(2)089(Feb1988)
Recent applications of metal matrix composites in precision instruments and optical systems (Mohn, Walter R.; Vukobratovich, Daniel) 27(2)090-098(Feb1988)
The problem of the "concentric" meniscus element: a possible solution to the lens designer's dilemma (Smith, Warren J.) 27(12)1039-1041(Dec1988)

Optical Engineering Journal
Annual indexes to Volume 27 [1988 Optical Engineering] 27(12)1101-1126(Dec1988)
Are "Idea-Type" Papers a Good Idea? Reader Response (Gaskill, Jack D.) (Ed) 27(3)SR048(Mar1988)
Confessions of an Editor (Gaskill, Jack D.) (Ed) 27(2)SR026(Feb1988)
Guest Editors for Special Issues (Gaskill, Jack D.) (Ed) 27(4)SR070(Apr1988)
Looking Back at 1988 (Gaskill, Jack D.) (Ed) 27(12)SR226(Dec1988)
More on "Idea-Type" Papers (Gaskill, Jack D.) (Ed) 27(5)SR090(May1988)
A Preview of 1988 (Gaskill, Jack D.) (Ed) 27(1)SR006(Jan1988)
SPIE Awards for 1988 (Gaskill, Jack D.) (Ed) 27(11)SR208(Nov1988)
Three Down—Two to Go (Gaskill, Jack D.) (Ed) 27(6)SR110(Jun1988)
To Be or Not to Be a Referee (Gaskill, Jack D.) (Ed) 27(8)SR152(Aug1988)
"What Happened to My Paper?" (Gaskill, Jack D.) (Ed) 27(7)SR132(Jul1988)
"What Happened to My Paper?" Part II (Gaskill, Jack D.) (Ed) 27(10)SR184(Oct1988)
When You Agree to Be a Referee (Gaskill, Jack D.) (Ed) 27(9)SR170(Sep1988)

Optical fabrication
Applied Optics and Optical Engineering, Volume 10. Edited by Robert R. Shannon and James C. Wyant. (Reviewed by Yoder, Paul R., Jr.) (BR) 27(5)SR091-SR092(May1988)
Development of a precision diamond turning machine for fabrication of asymmetric aspheric mirrors (Moriyama, Shigeo; Uchida, Fumihiko; Seya, Eiichi) 27(11)1008-1012(Nov1988)
Electron beam lithography and nanometer structures: fabrication of microzone plates (Bogli, V.; Unger, P.; Beneking, H.; Niemann, B.; Guttmann, P.; Meyer-Ilse, W.) 27(2)143-149(Feb1988)
Highly polished, grazing incidence mirrors developed for synchrotron radiation beam lines at Stanford Synchrotron Radiation Laboratory (Tirsell, K. Glenn; Berglin, E. J.; Fuchs, B. A.; Holdener, F. R.; Humpal, H. H.; Karpenko, V. P.; Kulkarni, S.; Fantone, Stephen D.) 27(11)985-993(Nov1988)
Optical and mechanical design aspects of a four-telescope array for combined imaging (Lampkin, Curt M.; Flint, Graham W.; MacFarlane, Malcolm J.) 27(9)749-754(Sep1988)
Optical design 1937 to 1988...Where to from here? (Hopkins, Robert E.) 27(12)1019-1026(Dec1988)
Simple method of fabricating copper oxide selective absorber films for photothermal conversion of solar energy (Banerjee, H. D.; Viswanathan, R.; Rao, D. R.; Acharya, H. N.) 27(11)933-938(Nov1988)
The problem of the "concentric" meniscus element: a possible solution to the lens designer's dilemma (Smith, Warren J.) 27(12)1039-1041(Dec1988)

Optical inspection
On-line control of surface contamination during gas tungsten arc welding (Lin, Ted T.; Lin, H. T.; Chin, Bryan A.) 27(5)413-419(May1988)
Optical Hough and Fourier processors for product inspection (Casasent, David P.; Richards, Jeffrey) 27(4)258-265(Apr1988)
Optical inspection of manufactured glass using adaptive Fourier filtering (Cormack, R.; Johnson, K. M.; Zhang, Lin; Cathey, W. Thomas) 27(5)358-364(May1988)
Practical optical Fourier analysis for high speed inspection (Clark, David; Casasent, David P.) 27(5)365-371(May1988)
Turnkey optical inspection systems: getting the job done right (Figler, Burton D.) 27(5)428-432(May1988)

Optical interconnections
Design of photopolymer holograms for optical interconnect applications (Kirsch, James C.; Gregory, Don A.; Hudson, Tracy D.; Lanteigne, David J.) 27(4)301-308(Apr1988)

Optical materials
Layered synthetic microstructure x-ray mirror focusing instrument: bent silicon wafer substrate (Penkethman, J. A.) 27(2)099-103(Feb1988)
Recent applications of metal matrix composites in precision instruments and optical systems (Mohn, Walter R.; Vukobratovich, Daniel) 27(2)090-098(Feb1988)

Optical processing
Application of binary phase-only correlation to machine vision (Flannery, David L.; Loomis, John S.; Milkovich, Mary E.; Keller, Paul E.) 27(4)309-320(Apr1988)
Application of one-step holographic associative memories to symbolic substitution (Yu, Francis T. S.; Zhang, Chenhua; Jutamulia, Suganda) 27(5)399-402(May1988)
Characteristics and design of mercurous halide Bragg cells for optical signal processing (Goutzoulis, Anastasios P.; Gottlieb, Milton) 27(2)157-163(Feb1988)
Design of photopolymer holograms for optical interconnect applications (Kirsch, James C.; Gregory, Don A.; Hudson, Tracy D.; Lanteigne, David J.) 27(4)301-308(Apr1988)
Detection of multiple views of an object in the presence of clutter (Ochoa, Ellen; Schils, George F.; Sweeney, Donald W.) 27(4)266-273(Apr1988)
Error detection and correction in multilevel algebraic optical processors (Oh, S.; Park, D. C.; Marks, Robert J., II; Atlas, L. E.) 27(4)289-294(Apr1988)
Frequency-domain Fourier-Mellin descriptors for invariant pattern recognition (Sheng, Yunlong; Lejeune, Claude; Arsenault, Henri H.) 27(5)354-357(May1988)
Industrial Applications of Optical Signal Processing I (Javidi, Bahram) (Ed) 27(4)257(Apr1988)
Industrial Applications of Optical Signal Processing II (Javidi, Bahram) (Ed) 27(5)353(May1988)
Multiple object identification by bipolar joint transform correlation (Javidi, Bahram; Odeh, Souheil F.) 27(4)295-300(Apr1988)
Multiple quantum well spatial light modulators for optical processing applications (Hsu, T.-Y.; Efron, Uzi; Wu, W.-Y.; Schulman, J. N.; D'Haenens, I. J.; Chang, Yia-Chung) 27(5)372-384(May1988)
Nonlinear optical image filtering by time-sequential threshold decomposition (Hereford, James M.; Rhodes, William T.) 27(4)274-279(Apr1988)

Nonlinear optical image subtraction for potential industrial applications (Chiou, Arthur E.; Yeh, Pochi; Khoshnevisan, Monte) 27(5)385-392(May1988)
Optical Hough and Fourier processors for product inspection (Casasent, David P.; Richards, Jeffrey) 27(4)258-265(Apr1988)
Optical inspection of manufactured glass using adaptive Fourier filtering (Cormack, R.; Johnson, K. M.; Zhang, Lin; Cathey, W. Thomas) 27(5)358-364(May1988)
Optical pseudocolor image enhancement with real-time large screen display (Chao, Tien-Hsin; Liu, Hua-Kuang) 27(5)393-398(May1988)
Practical optical Fourier analysis for high speed inspection (Clark, David; Casasent, David P.) 27(5)365-371(May1988)
Scientific and research activity at the Department of Physical Optics, Central Optical Laboratory, Warsaw, Poland, from 1983 to 1988 (Pluta, Maksymilian) 27(7)515-523(Jul1988)
Simulation study of the performance of an algorithm that computes geometric moments from optical Hartley transform intensities (Kumar, B. V. K. Vijaya; Fitzpatrick, Craig) 27(4)280-288(Apr1988)
Wavefront error measurement technique using extended, incoherent light sources (von der Luhe, O.) 27(12)1078-1087(Dec1988)

Optical properties
Optical pulse modulation and optical hysteresis in a nonlinear cadmium sulfide etalon at room temperature (Petersen, Paul Michael) 27(3)234-237(Mar1988)

Optical recording
Optical photorecording by the surface photodeposition effect (Peled, A.; Dror, Y.) 27(6)482-485(Jun1988)

Optical storage
Effects of latent heat and incident beam distribution on the temperature field in phase change recording (Zhou, Zhiping; Chin, Kuofan; Wang, Minqiang) 27(11)994-998(Nov1988)

Optical systems
Application of anamorphic systems to directional pseudocolor encoding (Millan, M. S.; Ferreira, C.; Pons, A.; Andres, P.) 27(2)129-134(Feb1988)
Combining optical fringe analysis and the finite-element method (Bella, David F.) 27(2)111-114(Feb1988)
Experiments on constrained optimization with Spencer's method (Rayces, Juan L.; Lebich, Lan) 27(12)1031-1034(Dec1988)
Recent applications of metal matrix composites in precision instruments and optical systems (Mohn, Walter R.; Vukobratovich, Daniel) 27(2)090-098(Feb1988)
Wide field of view three-mirror telescopes having a common optical axis (Johnson, R. Barry) 27(12)1046-1050(Dec1988)

Optical systems, large
Space Telescope performance prediction using the optical surface analysis code (OSAC) (erratum) (Glenn, Paul) 27(10)922(Oct1988)

Optical testing
Combining optical fringe analysis and the finite-element method (Bella, David F.) 27(2)111-114(Feb1988)
Design of null lens correctors for the testing of astronomical optics (Sasian, Jose M.) 27(12)1051-1056(Dec1988)
Optical and mechanical design aspects of a four-telescope array for combined imaging (Lampkin, Curt M.; Flint, Graham W.; MacFarlane, Malcolm J.) 27(9)749-754(Sep1988)
Radon transform applications in optical inspection (Simpson, Michael J.; Ervin, P. Anthony; Snyder, Michael A.) 27(2)164-171(Feb1988)
Space Telescope performance prediction using the optical surface analysis code (OSAC) (erratum) (Glenn, Paul) 27(10)922(Oct1988)
Testing large hyperbolic secondary mirrors (Parks, Robert E.; Shao, Lian Zhen) 27(12)1057-1062(Dec1988)

Optics
Applied Optics and Optical Engineering, Volume 10. Edited by Robert R. Shannon and James C. Wyant. (Reviewed by Yoder, Paul R., Jr.) (BR) 27(5)SR091-SR092(May1988)
Astronomical Optics. By David J. Schroeder. (Reviewed by Shannon, Robert R.) (BR) 27(9)SR171(Sep1988)
Light. By Michael Sobel. (Reviewed by Hall, Freeman F., Jr.) (BR) 27(4)SR071-SR072(Apr1988)
Optics of Charged Particles. By Hermann Wollnik. (Reviewed by Boerboom, A. J. H.) (BR) 27(6)SR111-SR112(Jun1988)
Optics—Light for a New Age. By Jeff Hecht. (Reviewed by Yoder, Paul R., Jr.) (BR) 27(6)SR112(Jun1988)
Scientific and research activity at the Department of Physical Optics, Central Optical Laboratory, Warsaw, Poland, from 1983 to 1988 (Pluta, Maksymilian) 27(7)515-523(Jul1988)

Optoelectronics
Opto-Electronic Imaging. Edited by D. P. Juyal, P. C. Mehta, and M. K. Sharma. (Reviewed by Slegtenhorst, Ronald P.) (BR) 27(3)SR050(Mar1988)

Optomechanical design
Active optics correction of thermal distortion of a 1.8 meter mirror (Pearson, E.; Stepp, L.; Fox, J.) 27(2)115-122(Feb1988)
Combining optical fringe analysis and the finite-element method (Bella, David F.) 27(2)111-114(Feb1988)
Control of low inertia galvanometers for high precision laser scanning systems (Blais, Francois) 27(2)104-110(Feb1988)
Layered synthetic microstructure x-ray mirror focusing instrument: bent silicon wafer substrate (Penkethman, J. A.) 27(2)099-103(Feb1988)
Optomechanical Instrument Design (Vukobratovich, Daniel) (Ed) 27(2)089(Feb1988)
Recent applications of metal matrix composites in precision instruments and optical systems (Mohn, Walter R.; Vukobratovich, Daniel) 27(2)090-098(Feb1988)

Parallel processing
Content-Addressable Memories, Second Edition. By Teuvo Kohonen. (Reviewed by Hassoun, Mohamad H.) (BR) 27(2)SR027-SR028(Feb1988)
Error detection and correction in multilevel algebraic optical processors (Oh, S.; Park, D. C.; Marks, Robert J., II; Atlas, L. E.) 27(4)289-294(Apr1988)

Particles
Measurement of the emissivity of small particles at elevated temperatures (Fincke, J. R.; Jeffery, C. L.; Spjut, R. Erik) 27(8)684-690(Aug1988)
Optical/digital analyzer of Fe_2O_3, FeO substrate by Fourier techniques (Gorecki, C.) 27(6)466-470(Jun1988)
Optics of Charged Particles. By Hermann Wollnik. (Reviewed by Boerboom, A. J. H.) (BR) 27(6)SR111-SR112(Jun1988)
Particle image velocimetry: automatic fringe analysis by cross-correlation (Kirita, Atsushi; Pickering, Christopher J. D.; Halliwell, Neil A.) 27(3)188-192(Mar1988)
Particle image velocimetry: the ambiguity problem (Coupland, Jeremy M.; Pickering, Christopher J. D.; Halliwell, Neil A.) 27(3)193-196(Mar1988)
Single relay lens magnification effects in off-axis particle field holography (Vikram, Chandra S.; McDevitt, T. E.) 27(7)570-573(Jul1988)

Pattern recognition
Application of binary phase-only correlation to machine vision (Flannery, David L.; Loomis, John S.; Milkovich, Mary E.; Keller, Paul E.) 27(4)309-320(Apr1988)
Detection of multiple views of an object in the presence of clutter (Ochoa, Ellen; Schils, George F.; Sweeney, Donald W.) 27(4)266-273(Apr1988)
Digital and analogue holographic associative memories (White, H. J.; Aldridge, N. B.; Lindsay, I.) 27(1)030-037(Jan1988)
Frequency-domain Fourier-Mellin descriptors for invariant pattern recognition (Sheng, Yunlong; Lejeune, Claude; Arsenault, Henri H.) 27(5)354-357(May1988)
Image sequence processing for target estimation in forward-looking infrared imagery (Mao, Zuhua; Strickland, Robin N.) 27(7)541-549(Jul1988)
Multiple object identification by bipolar joint transform correlation (Javidi, Bahram; Odeh, Souheil F.) 27(4)295-300(Apr1988)
Simulation study of the performance of an algorithm that computes geometric moments from optical Hartley transform intensities (Kumar, B. V. K. Vijaya; Fitzpatrick, Craig) 27(4)280-288(Apr1988)

Phase compensation
Phased array system using the far-field point spread function (Hennessy, Corey J.; Tipton, Charles A.; Wallentine, Patricia J.) 27(9)718-721(Sep1988)

Phase conjugation
Nonlinear optical image subtraction for potential industrial applications (Chiou, Arthur E.; Yeh, Pochi; Khoshnevisan, Monte) 27(5)385-392(May1988)

Phasar nonlinear optical experimentation: phased far-field return from multiple telescopes by optical wavefront reversal of a reference signal (Klemas, A.; Kramer, M.; Carreras, Richard A.; Clayton, C.) 27(9)722-729(Sep1988)

Phase locking
Timing uncertainty for receivers in optical clock distribution for VLSI (Clymer, Bradley D.; Goodman, Joseph W.) 27(11)944-954(Nov1988)

Phase measurement
Design of a wide field of view phased array telescope (De Hainaut, Christopher R.; Hentz, Karl P.; Weaver, Lawrence D.; Gonglewski, John D.) 27(9)736-739(Sep1988)
Experimental study of mirror segment phasing using tungsten light (Watson, J. T.) 27(9)758-761(Sep1988)
Simple phase-tracking measurement technique for multichannel Bragg cells (Lee, Jim P. Y.) 27(8)677-683(Aug1988)

Phase modulation
Area-modulated recordings for one-dimensional optical signal processors (Pernick, B. J.) 27(6)452-455(Jun1988)
Laser measurement system for precise and fast positioning (Mori, Sadao; Akatsu, Toshio; Miyazaki, Chuuichi) 27(9)823-829(Sep1988)
Method for measuring the spatial frequency response of phase-modulating spatial light modulators (Shafir, E.; Bernstein, H.; Friesem, A. A.; Grebel, H.) 27(1)071-074(Jan1988)

Phase retrieval
Electronically agile multiple aperture imager receiver (Henshaw, Philip D.; Lees, David E. B.) 27(9)793-800(Sep1988)
Image Recovery: Theory and Application. Edited by Henry Stark. (Reviewed by Tescher, Andrew G.) (BR) 27(1)SR007(Jan1988)
Imaging correlography with sparse arrays of detectors (Fienup, J. R.; Idell, Paul S.) 27(9)778-784(Sep1988)
Uniqueness features in sampled complex-valued object reconstruction from discrete intensity data (Martinez-Herrero, R.; Sancha, S. G.) 27(6)456-460(Jun1988)

Phased arrays
Demonstration of an optically phased telescope array (Fender, Janet S.; Carreras, Richard S.) 27(9)706-711(Sep1988)
Design considerations for multiple telescope imaging arrays (Weaver, Lawrence D.; Fender, Janet S.; De Hainaut, Christopher R.) 27(9)730-735(Sep1988)
Design of a wide field of view phased array telescope (De Hainaut, Christopher R.; Hentz, Karl P.; Weaver, Lawrence D.; Gonglewski, John D.) 27(9)736-739(Sep1988)
Digital optical control system (Jordan, David H.; Tipton, Charles A.; Christmann, Charles E.; Hochhausler, Nils P.) 27(9)755-757(Sep1988)
Experimental study of mirror segment phasing using tungsten light (Watson, J. T.) 27(9)758-761(Sep1988)
Implementation of optical path length and tilt control in a phased array system (Voelz, David G.; Russell, David A.; Wallentine, Patricia J.; Carreras, Richard A.) 27(9)712-717(Sep1988)
Multiple beam combination with pupil geometry maintenance (Hentz, Karl P.) 27(9)740-748(Sep1988)
Optical and mechanical design aspects of a four-telescope array for combined imaging (Lampkin, Curt M.; Flint, Graham W.; MacFarlane, Malcolm J.) 27(9)749-754(Sep1988)
Performance characteristics of phased array and thinned aperture optical telescopes (Harvey, James E.; Rockwell, Richard A.) 27(9)762-768(Sep1988)
Phasar nonlinear optical experimentation: phased far-field return from multiple telescopes by optical wavefront reversal of a reference signal (Klemas, A.; Kramer, M.; Carreras, Richard A.; Clayton, C.) 27(9)722-729(Sep1988)
Phased array system using the far-field point spread function (Hennessy, Corey J.; Tipton, Charles A.; Wallentine, Patricia J.) 27(9)718-721(Sep1988)
System design of a wavefront sensing package for a wide field of view optical phased array (Gonglewski, John D.; De Hainaut, Christopher R.; Lampkin, Curt M.; Dymale, Raymond C.) 27(9)785-792(Sep1988)

Photodeposition
Optical photorecording by the surface photodeposition effect (Peled, A.; Dror, Y.) 27(6)482-485(Jun1988)

Photodiodes
Control of low inertia galvanometers for high precision laser scanning systems (Blais, Francois) 27(2)104-110(Feb1988)

Photoelasticity
Determination of characteristic parameters in three-dimensional photoelasticity (Srinath, L. S.; Ramesh, K.; Ramamurti, V.) 27(3)225-230(Mar1988)
Determination of stress intensity factors (K_1, K_2, K_3) by the frozen stress method (Smith, C. W.) 27(8)619-624(Aug1988)
Half-fringe photoelastic analysis of rectangular plates subjected to transverse loading (Wang, Wei-Chung; Chen, Chun-Yuan; Chen, Wen-Hwa) 27(8)636-640(Aug1988)
Image processing approach to fringe patterns (Gillies, A. C.) 27(10)861-866(Oct1988)

Photogrammetry
Curvature and strain variations by rasterography (Politch, Jacob; Gryc, S.; Etrog, U.) 27(11)1013-1016(Nov1988)

Photography
Infrared presensitization photography and ionic conductivity (Geary, Joseph M.) 27(4)321-324(Apr1988)
Optical photorecording by the surface photodeposition effect (Peled, A.; Dror, Y.) 27(6)482-485(Jun1988)

Photomechanics
Advances in the laser speckle strain gauge (Yamaguchi, Ichirou) 27(3)214-218(Mar1988)
Blunt crack caustics (Dickerson, Kevin L.; Kim, Kyung-S.) 27(8)611-618(Aug1988)
Caustics by reflection and their application to elastic-plastic and dynamic fracture mechanics (Rosakis, Ares J.; Zehnder, Alan T.; Narasimhan, Ramaratnam) 27(8)596-610(Aug1988)
Determination of characteristic parameters in three-dimensional photoelasticity (Srinath, L. S.; Ramesh, K.; Ramamurti, V.) 27(3)225-230(Mar1988)
Determination of stress intensity factors (K_1, K_2, K_3) by the frozen stress method (Smith, C. W.) 27(8)619-624(Aug1988)
Half-fringe photoelastic analysis of rectangular plates subjected to transverse loading (Wang, Wei-Chung; Chen, Chun-Yuan; Chen, Wen-Hwa) 27(8)636-640(Aug1988)
Holographic interferometry applied to a model study of ground vibrations produced from blasting (Carlsson, Torgny E.; Bjarnholt, Gert; Abramson, Nils; Holloway, D. C.) 27(11)923-927(Nov1988)
Improvements in the experimental techniques of moire interferometry (Pirodda, Luciano) 27(3)219-224(Mar1988)
Large-aperture, long-path interferometer for measuring transient thermal fields (He, Anzhi; Yan, Dapeng; Ni, Xiaowu) 27(10)841-844(Oct1988)
Moire strain gauge with high sensitivity (Chiang, F. P.; Yuan, C. L.; Krishnamurth, R.) 27(3)231-233(Mar1988)
Objective speckle method using stick-on foil and its applications (Han, Jinhu; Tu, Meirong) 27(3)207-209(Mar1988)
Optical analysis of HRR field (Chiang, F. P.; Hareesh, T. V.; Liu, B. C.; Li, S.) 27(8)625-629(Aug1988)
Particle image velocimetry: automatic fringe analysis by cross-correlation (Kirita, Atsushi; Pickering, Christopher J. D.; Halliwell, Neil A.) 27(3)188-192(Mar1988)
Particle image velocimetry: the ambiguity problem (Coupland, Jeremy M.; Pickering, Christopher J. D.; Halliwell, Neil A.) 27(3)193-196(Mar1988)
Photomechanics I (Chiang, F. P.) (Ed) 27(3)187(Mar1988)
Photomechanics II (Chiang, F. P.) (Ed) 27(8)595(Aug1988)
Shadow optical analysis of dynamic shear fracture (Kalthoff, Jorg F.) 27(10)835-840(Oct1988)
Speckle-tracking point diffraction interferometer for fluid studies (Giglio, M.; Perini, U.; Paganini, E.) 27(3)197-199(Mar1988)
Studies of holospeckle interferometry (Li, Q. B.; Chiang, F. P.) 27(3)200-206(Mar1988)
Surface and interior crack-tip field measurement by an embedded random speckle method (Chiang, F. P.; Lu, Hua) 27(3)210-213(Mar1988)
Velocity measurements in convective flows by particle image velocimetry using a low power laser (Arroyo, M. P.; Yonte, T.; Quintanilla, M.; Saviron, J. M.) 27(8)641-649(Aug1988)
Vibrational testing of an x-ray concentrator by holographic interferometry (Delvo, P.; Rizzi, M. L.) 27(12)1072-1077(Dec1988)

Photopolymers
Design of photopolymer holograms for optical interconnect applications (Kirsch, James C.; Gregory, Don A.; Hudson, Tracy D.; Lanteigne, David J.) 27(4)301-308(Apr1988)

Photorefraction
Area-modulated recordings for one-dimensional optical signal processors (Pernick, B. J.) 27(6)452-455(Jun1988)
Nonlinear optical image subtraction for potential industrial applications (Chiou, Arthur E.; Yeh, Pochi; Khoshnevisan, Monte) 27(5)385-392(May1988)

Phototransistors
Control of low inertia galvanometers for high precision laser scanning systems (Blais, Francois) 27(2)104-110(Feb1988)

Piezoelectric effect
Piezoelectrically controlled scanning Fabry-Perot spectrometer for emission line studies of extended astronomical objects (Chandrasekhar, T.; Debiprasad, C.; Desai, J. N.; Ashok, N. M.) 27(12)1088-1092(Dec1988)

Plasmas
Plasma-enhanced chemical vapor deposition of Ge-Se and Ge-S compounds (Blanc, D.; Wilson, J. I. B.) 27(10)917-921(Oct1988)

Point spread functions
Phased array system using the far-field point spread function (Hennessy, Corey J.; Tipton, Charles A.; Wallentine, Patricia J.) 27(9)718-721(Sep1988)

Poland
Scientific and research activity at the Department of Physical Optics, Central Optical Laboratory, Warsaw, Poland, from 1983 to 1988 (Pluta, Maksymilian) 27(7)515-523(Jul1988)

Polarization
Phasar nonlinear optical experimentation: phased far-field return from multiple telescopes by optical wavefront reversal of a reference signal (Klemas, A.; Kramer, M.; Carreras, Richard A.; Clayton, C.) 27(9)722-729(Sep1988)

Prisms
Folded cavity design for a ruby resonator (Arunkumar, K. A.; Trolinger, James D.) 27(8)657-662(Aug1988)

Processors
Error detection and correction in multilevel algebraic optical processors (Oh, S.; Park, D. C.; Marks, Robert J., II; Atlas, L. E.) 27(4)289-294(Apr1988)
Simulation study of the performance of an algorithm that computes geometric moments from optical Hartley transform intensities (Kumar, B. V. K. Vijaya; Fitzpatrick, Craig) 27(4)280-288(Apr1988)

Profiles
Effects of latent heat and incident beam distribution on the temperature field in phase change recording (Zhou, Zhiping; Chin, Kuofan; Wang, Minqiang) 27(11)994-998(Nov1988)
Optical surface profile transducer (Quercioli, Franco; Tiribilli, Bruno; Molesini, Giuseppe) 27(2)135-142(Feb1988)

Projection systems
Current trends in optics for projection TV (Clarke, John A.) 27(1)016-022(Jan1988)
Step size for the general iterative image recovery algorithm (Podilchuk, C. I.; Mammone, R. J.) 27(9)806-811(Sep1988)

Pseudocolor
Application of anamorphic systems to directional pseudocolor encoding (Millan, M. S.; Ferreira, C.; Pons, A.; Andres, P.) 27(2)129-134(Feb1988)
Optical pseudocolor image enhancement with real-time large screen display (Chao, Tien-Hsin; Liu, Hua-Kuang) 27(5)393-398(May1988)

Pulses
Optical pulse modulation and optical hysteresis in a nonlinear cadmium sulfide etalon at room temperature (Petersen, Paul Michael) 27(3)234-237(Mar1988)

Quantum wells
Multiple quantum well spatial light modulators for optical processing applications (Hsu, T.-Y.; Efron, Uzi; Wu, W.-Y.; Schulman, J. N.; D'Haenens, I. J.; Chang, Yia-Chung) 27(5)372-384(May1988)

Radar
Coherent optical radar (Alexander, William; Clark, David L.; Stewart, Corrine A.) 27(1)011-015(Jan1988)

Radiation
Effective phase space widths of undulator radiation (Coisson, R.) 27(3)250-252(Mar1988)

Radiometry
Design of multilamp nonimaging laser pump cavities (Kuppenheimer, J. D., Jr.) 27(12)1067-1071(Dec1988)

Radon transforms
Radon transform applications in optical inspection (Simpson, Michael J.; Ervin, P. Anthony; Snyder, Michael A.) 27(2)164-171(Feb1988)

Receivers
Electronically agile multiple aperture imager receiver (Henshaw, Philip D.; Lees, David E. B.) 27(9)793-800(Sep1988)

Refractive index
Area-modulated recordings for one-dimensional optical signal processors (Pernick, B. J.) 27(6)452-455(Jun1988)

Remote sensing
Landsat data destriping using power spectral filtering (Srinivasan, Ram; Cannon, Michael; White, James) 27(11)939-943(Nov1988)
Laser Remote Chemical Analysis. Edited by Raymond M. Measures. (Reviewed by Hall, Freeman F., Jr.) (BR) 27(12)SR227(Dec1988)
Measurement and modeling of natural desert terrain in the infrared (Ben-Yosef, N.; Wilner, K.; Abitbol, M.) 27(11)928-932(Nov1988)
Measurement of the Landsat Thematic Mapper modulation transfer function using an array of point sources (Rauchmiller, Robert F., Jr.; Schowengerdt, Robert A.) 27(4)334-343(Apr1988)

Resolution
Optical photorecording by the surface photodeposition effect (Peled, A.; Dror, Y.) 27(6)482-485(Jun1988)
Optical superresolution using solid-state cameras and digital signal processing (Seitz, Peter) 27(7)535-540(Jul1988)
Ultimate sensitivity and resolution of phosphor/fiber/charge-coupled device systems (erratum) (Dunham, Mark E.; Sanchez, Philip G.) 27(1)087(Jan1988)
Understanding focus effects in submicrometer optical lithography (Mack, Chris A.) 27(12)1093-1100(Dec1988)

Resonators
Design of multilamp nonimaging laser pump cavities (Kuppenheimer, J. D., Jr.) 27(12)1067-1071(Dec1988)
Folded cavity design for a ruby resonator (Arunkumar, K. A.; Trolinger, James D.) 27(8)657-662(Aug1988)

Reticles
General analysis of frequency-modulation reticles (Chao, Zu Wen; Chu, Jih Liang) 27(6)440-442(Jun1988)
Parameter analysis for frequency-modulation reticle design (Chao, Zu Wen; Chu, Jih Liang) 27(6)443-451(Jun1988)

Retroreflection
Rainbow holography for retroreflective objects (Bahuguna, R. D.) 27(3)243-245(Mar1988)

Robot vision
Impulse response of a multiaperture vision system eyelet (Driggers, Ron; Halford, Carl; Walters, Roy) 27(9)775-777(Sep1988)

Robotics
On-line control of surface contamination during gas tungsten arc welding (Lin, Ted T.; Lin, H. T.; Chin, Bryan A.) 27(5)413-419(May1988)
Optical Hough and Fourier processors for product inspection (Casasent, David P.; Richards, Jeffrey) 27(4)258-265(Apr1988)

Satellites
Comparison of optical technologies for intersatellite links in a global telecommunications network (Marshalek, Robert G.; Koepf, Gerhard A.) 27(8)663-676(Aug1988)
Determination of a variable-spacing array's applicability as the NASA Advanced Communication Test Satellite intersatellite communication system transmitter (Fuhr, Peter L.; Davidson, Frederic M.) 27(3)238-242(Mar1988)
Landsat data destriping using power spectral filtering (Srinivasan, Ram; Cannon, Michael; White, James) 27(11)939-943(Nov1988)
Measurement of the Landsat Thematic Mapper modulation transfer function using an array of point sources (Rauchmiller, Robert F., Jr.; Schowengerdt, Robert A.) 27(4)334-343(Apr1988)
Precision pointing and tracking between satellite-borne optical systems (Held, K. J.; Barry, J. D.) 27(4)325-333(Apr1988)

Scanners
Control of low inertia galvanometers for high precision laser scanning systems (Blais, Francois) 27(2)104-110(Feb1988)
Digital position encoding of galvanometer scanner in a laser microscope (Liljeborg, Anders) 27(9)818-822(Sep1988)
Piezoelectrically controlled scanning Fabry-Perot spectrometer for emission line studies of extended astronomical objects (Chandrasekhar, T.; Debiprasad, C.; Desai, J. N.; Ashok, N. M.) 27(12)1088-1092(Dec1988)

Scanning
Optimization to eliminate two lens elements that have undesirable shapes (Brixner, Berlyn; Klein, Morris M.) 27(12)1027-1030(Dec1988)

Scattering
Instrumentation to measure the diffuse thickness of scattering dispersions (Birth, Gerald S.; Fyhn, Per-Gunnar; Frank, Joseph) 27(5)403-408(May1988)

Schlieren techniques
Flatness analysis of hard disks (Kafri, Oded; Kreske, Kathi) 27(10)878-882(Oct1988)

Second-harmonic generation
Grating enhanced second harmonic generation through electromagnetic resonances (Reinisch, Raymond; Neviere, Michel; Akhouayri, H.; Coutaz, J. L.; Maystre, D.; Pic, E.) 27(11)961-971(Nov1988)

Seeing
Site survey instrumentation for the National New Technology Telescope (NNTT) (Forbes, F. F.; Morse, D. A.; Poczulp, G. A.) 27(10)845-853(Oct1988)

Semiconductors
1/f optimization for a complementary metal oxide semiconductor focal plane array input circuit (Martin, Robert James; Herzog, William R.) 27(3)246-249(Mar1988)
Multiple quantum well spatial light modulators for optical processing applications (Hsu, T.-Y.; Efron, Uzi; Wu, W.-Y.; Schulman, J. N.; D'Haenens, I. J.; Chang, Yia-Chung) 27(5)372-384(May1988)
Optical pulse modulation and optical hysteresis in a nonlinear cadmium sulfide etalon at room temperature (Petersen, Paul Michael) 27(3)234-237(Mar1988)
Semiconductor Interfaces: Formation and Properties. Edited by G. Le Lay, J. Derrien, and N. Boccara. (Reviewed by Chabal, Yves J.) (BR) 27(8)SR153-SR154(Aug1988)
Wideband laser diode transmitter for free-space communication (Smith, Robert J.; Casey, William L.; Begley, David L.) 27(4)344-351(Apr1988)

Sensors
Automatic endoscope for the in situ study of plant roots (Hueber, J.; Manantsoa, V.; Picard, D.; Sarroca, M.; Schultz, G.) 27(9)801-805(Sep1988)
Development of a high resolution sensor for surface roughness (Mitsui, Kimiyuki; Sakai, Makoto; Kizuka, Yoshitsugu) 27(6)498-502(Jun1988)
Investigation of the wavelength-dependent transmission characteristics of optical fibre sensor systems (Jones, Robert; Jones, Keith W.) 27(1)023-029(Jan1988)

Shadow method
Shadow optical analysis of dynamic shear fracture (Kalthoff, Jorg F.) 27(10)835-840(Oct1988)

Shearography
Design of a white light radial shear interferometer for segmented mirror control (Horton, Richard F.) 27(12)1063-1066(Dec1988)

Signal processing
Application of binary phase-only correlation to machine vision (Flannery, David L.; Loomis, John S.; Milkovich, Mary E.; Keller, Paul E.) 27(4)309-320(Apr1988)
Application of one-step holographic associative memories to symbolic substitution (Yu, Francis T. S.; Zhang, Chenhua; Jutamulia, Suganda) 27(5)399-402(May1988)
Area-modulated recordings for one-dimensional optical signal processors (Pernick, B. J.) 27(6)452-455(Jun1988)
Characteristics and design of mercurous halide Bragg cells for optical signal processing (Goutzoulis, Anastasios P.; Gottlieb, Milton) 27(2)157-163(Feb1988)
Design of photopolymer holograms for optical interconnect applications (Kirsch, James C.; Gregory, Don A.; Hudson, Tracy D.; Lanteigne, David J.) 27(4)301-308(Apr1988)
Detection of multiple views of an object in the presence of clutter (Ochoa, Ellen; Schils, George F.; Sweeney, Donald W.) 27(4)266-273(Apr1988)
Error detection and correction in multilevel algebraic optical processors (Oh, S.; Park, D. C.; Marks, Robert J., II; Atlas, L. E.) 27(4)289-294(Apr1988)
Frequency-domain Fourier-Mellin descriptors for invariant pattern recognition (Sheng, Yunlong; Lejeune, Claude; Arsenault, Henri H.) 27(5)354-357(May1988)
Industrial Applications of Optical Signal Processing I (Javidi, Bahram) (Ed) 27(4)257(Apr1988)
Industrial Applications of Optical Signal Processing II (Javidi, Bahram) (Ed) 27(5)353(May1988)
Multiple object identification by bipolar joint transform correlation (Javidi, Bahram; Odeh, Souheil F.) 27(4)295-300(Apr1988)
Multiple quantum well spatial light modulators for optical processing applications (Hsu, T.-Y.; Efron, Uzi; Wu, W.-Y.; Schulman, J. N.; D'Haenens, I. J.; Chang, Yia-Chung) 27(5)372-384(May1988)
Nonlinear optical image filtering by time-sequential threshold decomposition (Hereford, James M.; Rhodes, William T.) 27(4)274-279(Apr1988)
Nonlinear optical image subtraction for potential industrial applications (Chiou, Arthur E.; Yeh, Pochi; Khoshnevisan, Monte) 27(5)385-392(May1988)
Optical architecture for acousto-optic space integrating correlator (Yu, Francis T. S.; Nagata, Toshio) 27(7)507-511(Jul1988)
Optical Hough and Fourier processors for product inspection (Casasent, David P.; Richards, Jeffrey) 27(4)258-265(Apr1988)
Optical inspection of manufactured glass using adaptive Fourier filtering (Cormack, R.; Johnson, K. M.; Zhang, Lin; Cathey, W. Thomas) 27(5)358-364(May1988)
Optical pseudocolor image enhancement with real-time large screen display (Chao, Tien-Hsin; Liu, Hua-Kuang) 27(5)393-398(May1988)
Optical superresolution using solid-state cameras and digital signal processing (Seitz, Peter) 27(7)535-540(Jul1988)
Practical optical Fourier analysis for high speed inspection (Clark, David; Casasent, David P.) 27(5)365-371(May1988)
Signal Analysis and Estimation—An Introduction. By Ronald D. Fante. (Reviewed by Morgan, Charles J.) (BR) 27(8)SR153(Aug1988)
Simulation study of the performance of an algorithm that computes geometric moments from optical Hartley transform intensities (Kumar, B. V. K. Vijaya; Fitzpatrick, Craig) 27(4)280-288(Apr1988)

Signal-to-noise ratio
1/f optimization for a complementary metal oxide semiconductor focal plane array input circuit (Martin, Robert James; Herzog, William R.) 27(3)246-249(Mar1988)

Silica
Highly polished, grazing incidence mirrors developed for synchrotron radiation beam lines at Stanford Synchrotron Radiation Laboratory (Tirsell, K. Glenn; Berglin, E. J.; Fuchs, B. A.; Holdener, F. R.; Humpal, H. H.; Karpenko, V. P.; Kulkarni, S.; Fantone, Stephen D.) 27(11)985-993(Nov1988)

Silicon
Fast optical detector deposited on dielectric channel waveguides (Larson, Donald R.; Phelan, Robert J., Jr.) 27(6)503-506(Jun1988)

Solar energy
Simple method of fabricating copper oxide selective absorber films for photothermal conversion of solar energy (Banerjee, H. D.; Viswanathan, R.; Rao, D. R.; Acharya, H. N.) 27(11)933-938(Nov1988)

Sources
Effective phase space widths of undulator radiation (Coisson, R.) 27(3)250-252(Mar1988)
Experimental study of mirror segment phasing using tungsten light (Watson, J. T.) 27(9)758-761(Sep1988)

Space optics
Space Telescope performance prediction using the optical surface analysis code (OSAC) (erratum) (Glenn, Paul) 27(10)922(Oct1988)
Structure of the extended emission in the infrared celestial background (Price, Stephan D.) 27(1)075-085(Jan1988)

Spatial filtering
Method for measuring the spatial frequency response of phase-modulating spatial light modulators (Shafir, E.; Bernstein, H.; Friesem, A. A.; Grebel, H.) 27(1)071-074(Jan1988)

Space-bandwidth product and crosstalk of spatial filtering methods for performing binary logic optically (Weigelt, Jutta) 27(10)883-892(Oct1988)

Spatial frequencies
Method for measuring the spatial frequency response of phase-modulating spatial light modulators (Shafir, E.; Bernstein, H.; Friesem, A. A.; Grebel, H.) 27(1)071-074(Jan1988)

Spatial light modulators
Method for measuring the spatial frequency response of phase-modulating spatial light modulators (Shafir, E.; Bernstein, H.; Friesem, A. A.; Grebel, H.) 27(1)071-074(Jan1988)
Multiple quantum well spatial light modulators for optical processing applications (Hsu, T.-Y.; Efron, Uzi; Wu, W.-Y.; Schulman, J. N.; D'Haenens, I. J.; Chang, Yia-Chung) 27(5)372-384(May1988)
Nonlinear optical image subtraction for potential industrial applications (Chiou, Arthur E.; Yeh, Pochi; Khoshnevisan, Monte) 27(5)385-392(May1988)
Optical inspection of manufactured glass using adaptive Fourier filtering (Cormack, R.; Johnson, K. M.; Zhang, Lin; Cathey, W. Thomas) 27(5)358-364(May1988)
Optical pseudocolor image enhancement with real-time large screen display (Chao, Tien-Hsin; Liu, Hua-Kuang) 27(5)393-398(May1988)

Speckle interferometry
Long-distance electronic speckle pattern interferometry (Lokberg, Ole J.; Malmo, Jan T.) 27(2)150-156(Feb1988)

Speckle phenomena
Advances in the laser speckle strain gauge (Yamaguchi, Ichirou) 27(3)214-218(Mar1988)
Electronically agile multiple aperture imager receiver (Henshaw, Philip D.; Lees, David E. B.) 27(9)793-800(Sep1988)
Imaging correlography with sparse arrays of detectors (Fienup, J. R.; Idell, Paul S.) 27(9)778-784(Sep1988)
Objective speckle method using stick-on foil and its applications (Han, Jinhu; Tu, Meirong) 27(3)207-209(Mar1988)
Speckle-tracking point diffraction interferometer for fluid studies (Giglio, M.; Perini, U.; Paganini, E.) 27(3)197-199(Mar1988)
Surface and interior crack-tip field measurement by an embedded random speckle method (Chiang, F. P.; Lu, Hua) 27(3)210-213(Mar1988)

Spectrographs
Design of a 360 mm focal length, f/3.6 spectrograph objective (Powell, Ian) 27(12)1042-1045(Dec1988)

Spectrometers
Piezoelectrically controlled scanning Fabry-Perot spectrometer for emission line studies of extended astronomical objects (Chandrasekhar, T.; Debiprasad, C.; Desai, J. N.; Ashok, N. M.) 27(12)1088-1092(Dec1988)

Spectroscopy
Compact image-intensifier-coupled Fabry-Perot interferometer for extended astronomical sources (Chandrasekhar, T.; Ashok, N. M.; Debiprasad, C.; Desai, J. N.) 27(1)067-070(Jan1988)
Spectroscopic survey telescope design I: primary mirror structure and support (Ray, F. B.; Krishnamachari, S. V.) 27(9)769-774(Sep1988)

Strain analysis
Advances in the laser speckle strain gauge (Yamaguchi, Ichirou) 27(3)214-218(Mar1988)
Application of moire analysis of strain using Fourier transform (Morimoto, Yoshiharu; Seguchi, Yasuyuki; Higashi, Toshihiko) 27(8)650-656(Aug1988)
Compressive creep strain measurements using moire interferometry (Tuttle, M. E.; Klein, R. J.) 27(8)630-635(Aug1988)
Curvature and strain variations by rasterography (Politch, Jacob; Gryc, S.; Etrog, U.) 27(11)1013-1016(Nov1988)
Moire strain gauge with high sensitivity (Chiang, F. P.; Yuan, C. L.; Krishnamurth, R.) 27(3)231-233(Mar1988)
Optical analysis of HRR field (Chiang, F. P.; Hareesh, T. V.; Liu, B. C.; Li, S.) 27(8)625-629(Aug1988)
Surface and interior crack-tip field measurement by an embedded random speckle method (Chiang, F. P.; Lu, Hua) 27(3)210-213(Mar1988)

Stress analysis
Blunt crack caustics (Dickerson, Kevin L.; Kim, Kyung-S.) 27(8)611-618(Aug1988)
Caustics by reflection and their application to elastic-plastic and dynamic fracture mechanics (Rosakis, Ares J.; Zehnder, Alan T.; Narasimhan, Ramaratnam) 27(8)596-610(Aug1988)
Determination of stress intensity factors (K_1, K_2, K_3) by the frozen stress method (Smith, C. W.) 27(8)619-624(Aug1988)

Surface plasmons
Grating enhanced second harmonic generation through electromagnetic resonances (Reinisch, Raymond; Neviere, Michel; Akhouayri, H.; Coutaz, J. L.; Maystre, D.; Pic, E.) 27(11)961-971(Nov1988)

Surfaces
Combining optical fringe analysis and the finite-element method (Bella, David F.) 27(2)111-114(Feb1988)
Curvature and strain variations by rasterography (Politch, Jacob; Gryc, S.; Etrog, U.) 27(11)1013-1016(Nov1988)
Development of a high resolution sensor for surface roughness (Mitsui, Kimiyuki; Sakai, Makoto; Kizuka, Yoshitsugu) 27(6)498-502(Jun1988)
Highly polished, grazing incidence mirrors developed for synchrotron radiation beam lines at Stanford Synchrotron Radiation Laboratory (Tirsell, K. Glenn; Berglin, E. J.; Fuchs, B. A.; Holdener, F. R.; Humpal, H. H.; Karpenko, V. P.; Kulkarni, S.; Fantone, Stephen D.) 27(11)985-993(Nov1988)
Mirror and grating surface figure requirements for grazing incidence synchrotron radiation beamlines: power loading effects (Hulbert, Steven L.; Sharma, Sushil) 27(6)433-439(Jun1988)
On-line control of surface contamination during gas tungsten arc welding (Lin, Ted T.; Lin, H. T.; Chin, Bryan A.) 27(5)413-419(May1988)
Optical surface profile transducer (Quercioli, Franco; Tiribilli, Bruno; Molesini, Giuseppe) 27(2)135-142(Feb1988)
Simple method of fabricating copper oxide selective absorber films for photothermal conversion of solar energy (Banerjee, H. D.; Viswanathan, R.; Rao, D. R.; Acharya, H. N.) 27(11)933-938(Nov1988)
Space Telescope performance prediction using the optical surface analysis code (OSAC) (erratum) (Glenn, Paul) 27(10)922(Oct1988)

Switches
Fiber-optic crossbar switch with broadcast capability (Dias, Antonio R.; Kalman, Robert F.; Goodman, Joseph W.; Sawchuk, Alexander A.) 27(11)955-960(Nov1988)
Optical single-pole, triple-throw switch (Look, D. C., Jr.) 27(3)253-255(Mar1988)

Symbolic substitution
Application of one-step holographic associative memories to symbolic substitution (Yu, Francis T. S.; Zhang, Chenhua; Jutamulia, Suganda) 27(5)399-402(May1988)
Symbolic-substitution-based median filters (Ramamoorthy, P. A.; Antony, S.; Grogan, Timothy A.) 27(5)409-412(May1988)

Synchrotron radiation
Development of a compact synchrotron radiation system for x-ray lithography (Takada, Hiroshi; Furukawa, Kouhei; Tomimasu, Takio) 27(7)550-556(Jul1988)
Effective phase space widths of undulator radiation (Coisson, R.) 27(3)250-252(Mar1988)
Highly polished, grazing incidence mirrors developed for synchrotron radiation beam lines at Stanford Synchrotron Radiation Laboratory (Tirsell, K. Glenn; Berglin, E. J.; Fuchs, B. A.; Holdener, F. R.; Humpal, H. H.; Karpenko, V. P.; Kulkarni, S.; Fantone, Stephen D.) 27(11)985-993(Nov1988)
Mirror and grating surface figure requirements for grazing incidence synchrotron radiation beamlines: power loading effects (Hulbert, Steven L.; Sharma, Sushil) 27(6)433-439(Jun1988)

Synthetic apertures
Design of a wide field of view phased array telescope (De Hainaut, Christopher R.; Hentz, Karl P.; Weaver, Lawrence D.; Gonglewski, John D.) 27(9)736-739(Sep1988)
Digital optical control system (Jordan, David H.; Tipton, Charles A.; Christmann, Charles E.; Hochhausler, Nils P.) 27(9)755-757(Sep1988)
Imaging correlography with sparse arrays of detectors (Fienup, J. R.; Idell, Paul S.) 27(9)778-784(Sep1988)
Implementation of optical path length and tilt control in a phased array system (Voelz, David G.; Russell, David A.; Wallentine, Patricia J.; Carreras, Richard A.) 27(9)712-717(Sep1988)

Optical and mechanical design aspects of a four-telescope array for combined imaging (Lampkin, Curt M.; Flint, Graham W.; MacFarlane, Malcolm J.) 27(9)749-754(Sep1988)
Phased array system using the far-field point spread function (Hennessy, Corey J.; Tipton, Charles A.; Wallentine, Patricia J.) 27(9)718-721(Sep1988)

Taps
Plastic optical fiber tap (Kagami, Manabu; Sakai, Youichi; Okada, Hiroshi; Ito, Toshio) 27(11)978-984(Nov1988)

Targets
Image sequence processing for target estimation in forward-looking infrared imagery (Mao, Zuhua; Strickland, Robin N.) 27(7)541-549(Jul1988)

Technology
The High-Tech Industry Manual: Conversion of U.S. Industry to High Technology Through Technology Transfer. By Hyman Olken. (Reviewed by Mataloni, Raymond J.) (BR) 27(7)SR133-SR134(Jul1988)

Telescopes
Active optics correction of thermal distortion of a 1.8 meter mirror (Pearson, E.; Stepp, L.; Fox, J.) 27(2)115-122(Feb1988)
All-spherical four-mirror telescopes corrected for three Seidel aberrations (Lee, Jong Ung; Lee, Sang Soo) 27(6)491-497(Jun1988)
Demonstration of an optically phased telescope array (Fender, Janet S.; Carreras, Richard S.) 27(9)706-711(Sep1988)
Design considerations for multiple telescope imaging arrays (Weaver, Lawrence D.; Fender, Janet S.; De Hainaut, Christopher R.) 27(9)730-735(Sep1988)
Design of a wide field of view phased array telescope (De Hainaut, Christopher R.; Hentz, Karl P.; Weaver, Lawrence D.; Gonglewski, John D.) 27(9)736-739(Sep1988)
Implementation of optical path length and tilt control in a phased array system (Voelz, David G.; Russell, David A.; Wallentine, Patricia J.; Carreras, Richard A.) 27(9)712-717(Sep1988)
Multiple beam combination with pupil geometry maintenance (Hentz, Karl P.) 27(9)740-748(Sep1988)
Optical and mechanical design aspects of a four-telescope array for combined imaging (Lampkin, Curt M.; Flint, Graham W.; MacFarlane, Malcolm J.) 27(9)749-754(Sep1988)
Performance characteristics of phased array and thinned aperture optical telescopes (Harvey, James E.; Rockwell, Richard A.) 27(9)762-768(Sep1988)
Phasar nonlinear optical experimentation: phased far-field return from multiple telescopes by optical wavefront reversal of a reference signal (Klemas, A.; Kramer, M.; Carreras, Richard A.; Clayton, C.) 27(9)722-729(Sep1988)
Recent applications of metal matrix composites in precision instruments and optical systems (Mohn, Walter R.; Vukobratovich, Daniel) 27(2)090-098(Feb1988)
Site survey instrumentation for the National New Technology Telescope (NNTT) (Forbes, F. F.; Morse, D. A.; Poczulp, G. A.) 27(10)845-853(Oct1988)
Space Telescope performance prediction using the optical surface analysis code (OSAC) (erratum) (Glenn, Paul) 27(10)922(Oct1988)
Spectroscopic survey telescope design I: primary mirror structure and support (Ray, F. B.; Krishnamachari, S. V.) 27(9)769-774(Sep1988)
Structure of the extended emission in the infrared celestial background (Price, Stephan D.) 27(1)075-085(Jan1988)
Wide field of view three-mirror telescopes having a common optical axis (Johnson, R. Barry) 27(12)1046-1050(Dec1988)

Television
Current trends in optics for projection TV (Clarke, John A.) 27(1)016-022(Jan1988)

Temperature
Effects of latent heat and incident beam distribution on the temperature field in phase change recording (Zhou, Zhiping; Chin, Kuofan; Wang, Minqiang) 27(11)994-998(Nov1988)
Measurement of the emissivity of small particles at elevated temperatures (Fincke, J. R.; Jeffery, C. L.; Spjut, R. Erik) 27(8)684-690(Aug1988)
Site survey instrumentation for the National New Technology Telescope (NNTT) (Forbes, F. F.; Morse, D. A.; Poczulp, G. A.) 27(10)845-853(Oct1988)

Thermal effects
Active optics correction of thermal distortion of a 1.8 meter mirror (Pearson, E.; Stepp, L.; Fox, J.) 27(2)115-122(Feb1988)
Control of low inertia galvanometers for high precision laser scanning systems (Blais, Francois) 27(2)104-110(Feb1988)
Effects of latent heat and incident beam distribution on the temperature field in phase change recording (Zhou, Zhiping; Chin, Kuofan; Wang, Minqiang) 27(11)994-998(Nov1988)
Holographic interferometry applied at subfreezing temperatures: study of damage in concrete exposed to frost action (Rastogi, Pramod K.; Jacquot, Pierre; Pflug, Leopold) 27(2)172-178(Feb1988)
Large-aperture, long-path interferometer for measuring transient thermal fields (He, Anzhi; Yan, Dapeng; Ni, Xiaowu) 27(10)841-844(Oct1988)
Recent applications of metal matrix composites in precision instruments and optical systems (Mohn, Walter R.; Vukobratovich, Daniel) 27(2)090-098(Feb1988)
Simple method of fabricating copper oxide selective absorber films for photothermal conversion of solar energy (Banerjee, H. D.; Viswanathan, R.; Rao, D. R.; Acharya, H. N.) 27(11)933-938(Nov1988)

Thermography
On-line control of surface contamination during gas tungsten arc welding (Lin, Ted T.; Lin, H. T.; Chin, Bryan A.) 27(5)413-419(May1988)

Thermospheres
Automated optical observatory for thermospheric dynamics studies (Biondi, M. A.; Zipf, M. E.; Olmsted, R. A.) 27(10)909-916(Oct1988)

Thin films
Applied Optics and Optical Engineering, Volume 10. Edited by Robert R. Shannon and James C. Wyant. (Reviewed by Yoder, Paul R., Jr.) (BR) 27(5)SR091-SR092(May1988)
Effects of latent heat and incident beam distribution on the temperature field in phase change recording (Zhou, Zhiping; Chin, Kuofan; Wang, Minqiang) 27(11)994-998(Nov1988)
Laser Processing of Thin Films and Microstructures. By Ian W. Boyd. (Reviewed by Lee, Richard) (BR) 27(7)SR134(Jul1988)
Optical Thin Films: Users' Handbook. By James D. Rancourt. (Reviewed by Guenther, Karl H.; Bennett, Jean M.) (BR) 27(2)SR028-SR030(Feb1988)

Three dimensions
Curvature and strain variations by rasterography (Politch, Jacob; Gryc, S.; Etrog, U.) 27(11)1013-1016(Nov1988)
Determination of characteristic parameters in three-dimensional photoelasticity (Srinath, L. S.; Ramesh, K.; Ramamurti, V.) 27(3)225-230(Mar1988)
Interferometric tomography for three-dimensional flow fields via envelope function and orthogonal series decomposition (Cha, Soyoung) 27(7)557-563(Jul1988)
Missing cone of frequencies and low-pass distortion in three-dimensional microscopic images (Macias-Garza, Fernando; Bovik, Alan C.; Diller, Kenneth R.) 27(6)461-465(Jun1988)
Surface and interior crack-tip field measurement by an embedded random speckle method (Chiang, F. P.; Lu, Hua) 27(3)210-213(Mar1988)

Tomography
Film-based digital tomosynthesis of the chest (Sherrier, Robert H.; Suddarth, Steven A.; Johnson, G. Allan) 27(8)691-695(Aug1988)
Image Recovery: Theory and Application. Edited by Henry Stark. (Reviewed by Tescher, Andrew G.) (BR) 27(1)SR007(Jan1988)
Interferometric tomography for three-dimensional flow fields via envelope function and orthogonal series decomposition (Cha, Soyoung) 27(7)557-563(Jul1988)

Tracking
General analysis of frequency-modulation reticles (Chao, Zu Wen; Chu, Jih Liang) 27(6)440-442(Jun1988)
Parameter analysis for frequency-modulation reticle design (Chao, Zu Wen; Chu, Jih Liang) 27(6)443-451(Jun1988)
Precision pointing and tracking between satellite-borne optical systems (Held, K. J.; Barry, J. D.) 27(4)325-333(Apr1988)
Speckle-tracking point diffraction interferometer for fluid studies (Giglio, M.; Perini, U.; Paganini, E.) 27(3)197-199(Mar1988)

Transforms
Frequency-domain Fourier-Mellin descriptors for invariant pattern recognition (Sheng, Yunlong; Lejeune, Claude; Arsenault, Henri H.) 27(5)354-357(May1988)
Integral Transforms for Engineers and Applied Mathematicians. By L. C. Andrews and B. K. Shivamoggi. (Reviewed by Gallatin, Greg) (BR) 27(10)SR185-SR186(Oct1988)
Multiple object identification by bipolar joint transform correlation (Javidi, Bahram; Odeh, Souheil F.) 27(4)295-300(Apr1988)
Optical architecture for acousto-optic space integrating correlator (Yu, Francis T. S.; Nagata, Toshio) 27(7)507-511(Jul1988)
Optical Hough and Fourier processors for product inspection (Casasent, David P.; Richards, Jeffrey) 27(4)258-265(Apr1988)
Radon transform applications in optical inspection (Simpson, Michael J.; Ervin, P. Anthony; Snyder, Michael A.) 27(2)164-171(Feb1988)
Simulation study of the performance of an algorithm that computes geometric moments from optical Hartley transform intensities (Kumar, B. V. K. Vijaya; Fitzpatrick, Craig) 27(4)280-288(Apr1988)

Turbulence
Site survey instrumentation for the National New Technology Telescope (NNTT) (Forbes, F. F.; Morse, D. A.; Poczulp, G. A.) 27(10)845-853(Oct1988)

Ultrafast phenomena
Femtosecond characterization of semiconductor lasers (DeFonzo, Alfred P.) 27(8)696-700(Aug1988)

Ultraviolet, vacuum
Mirror and grating surface figure requirements for grazing incidence synchrotron radiation beamlines: power loading effects (Hulbert, Steven L.; Sharma, Sushil) 27(6)433-439(Jun1988)

Undulator radiation
Effective phase space widths of undulator radiation (Coisson, R.) 27(3)250-252(Mar1988)

United Kingdom
Amplitude and phase characterisation of polished directional half-couplers with variable refractive index overlays (Brierley, M. C.; Millar, C. A.) 27(1)045-049(Jan1988)
Coherent optical radar (Alexander, William; Clark, David L.; Stewart, Corrine A.) 27(1)011-015(Jan1988)
Current trends in optics for projection TV (Clarke, John A.) 27(1)016-022(Jan1988)
Digital and analogue holographic associative memories (White, H. J.; Aldridge, N. B.; Lindsay, I.) 27(1)030-037(Jan1988)
Holography in an industrial environment (Parker, R. J.; Jones, D. G.) 27(1)055-066(Jan1988)
Investigation of the wavelength-dependent transmission characteristics of optical fibre sensor systems (Jones, Robert; Jones, Keith W.) 27(1)023-029(Jan1988)
New correlation technique for on-line film thickness measurement (Edgar, Roger F.; Hindle, Peter H.) 27(1)050-054(Jan1988)
Optically bistable thin-film interference devices and holographic techniques for experiments in digital optics (Walker, A. C.; Taghizadeh, M. R.; Mathew, J. G. H.; Redmond, I.; Campbell, R. J.; Smith, S. D.; Dempsey, J.; Lebreton, Guy) 27(1)038-044(Jan1988)
Progress of Industrial Optics in the United Kingdom (Baker, Lionel R.; Dainty, J. Christopher) (Ed) 27(1)001(Jan1988)
Recent progress in lithium niobate integrated optics technology under a collaborative Joint Opto-Electronics Research Scheme (JOERS) programme (Grant, M. F.; Donaldson, A.; Gibson, D. R.; Wale, M.) 27(1)002-010(Jan1988)

Vapor deposition
Plasma-enhanced chemical vapor deposition of Ge-Se and Ge-S compounds (Blanc, D.; Wilson, J. I. B.) 27(10)917-921(Oct1988)

Velocimetry
Particle image velocimetry: automatic fringe analysis by cross-correlation (Kirita, Atsushi; Pickering, Christopher J. D.; Halliwell, Neil A.) 27(3)188-192(Mar1988)
Particle image velocimetry: the ambiguity problem (Coupland, Jeremy M.; Pickering, Christopher J. D.; Halliwell, Neil A.) 27(3)193-196(Mar1988)
Velocity measurements in convective flows by particle image velocimetry using a low power laser (Arroyo, M. P.; Yonte, T.; Quintanilla, M.; Saviron, J. M.) 27(8)641-649(Aug1988)

Very large scale integration
Timing uncertainty for receivers in optical clock distribution for VLSI (Clymer, Bradley D.; Goodman, Joseph W.) 27(11)944-954(Nov1988)

Vibration analysis
Holographic interferometry applied to a model study of ground vibrations produced from blasting (Carlsson, Torgny E.; Bjarnholt, Gert; Abramson, Nils; Holloway, D. C.) 27(11)923-927(Nov1988)
Vibrational testing of an x-ray concentrator by holographic interferometry (Delvo, P.; Rizzi, M. L.) 27(12)1072-1077(Dec1988)

Video
Subband coding of video for packet networks (Karlsson, Gunnar; Vetterli, Martin) 27(7)574-586(Jul1988)

Vision
Application of cathode-ray tube technology to the clinical evaluation of visual functions (Vernier, Francoise; Charlier, Jacques; Nguyen, Duc Dung) 27(2)123-128(Feb1988)
Image Understanding 1985-86. Edited by Whitman Richards and Shimon Ullman. (Reviewed by Anandan, P.) (BR) 27(10)SR186-SR188(Oct1988)
Impulse response of a multiaperture vision system eyelet (Driggers, Ron; Halford, Carl; Walters, Roy) 27(9)775-777(Sep1988)
Infrared transient sensing (Coon, D. D.; Karunasiri, R. P. G.; Bandara, K. M. S. V.) 27(6)471-474(Jun1988)

Vision, physiological optics
Application of cathode-ray tube technology to the clinical evaluation of visual functions (Vernier, Francoise; Charlier, Jacques; Nguyen, Duc Dung) 27(2)123-128(Feb1988)

Wavefront sensors
Implementation of optical path length and tilt control in a phased array system (Voelz, David G.; Russell, David A.; Wallentine, Patricia J.; Carreras, Richard A.) 27(9)712-717(Sep1988)
System design of a wavefront sensing package for a wide field of view optical phased array (Gonglewski, John D.; De Hainaut, Christopher R.; Lampkin, Curt M.; Dymale, Raymond C.) 27(9)785-792(Sep1988)
Wavefront error measurement technique using extended, incoherent light sources (von der Luhe, O.) 27(12)1078-1087(Dec1988)

Waveguides
Scientific and research activity at the Department of Physical Optics, Central Optical Laboratory, Warsaw, Poland, from 1983 to 1988 (Pluta, Maksymilian) 27(7)515-523(Jul1988)

Waveguides, channel
Fast optical detector deposited on dielectric channel waveguides (Larson, Donald R.; Phelan, Robert J., Jr.) 27(6)503-506(Jun1988)

Welding
On-line control of surface contamination during gas tungsten arc welding (Lin, Ted T.; Lin, H. T.; Chin, Bryan A.) 27(5)413-419(May1988)

X rays
Development of a compact synchrotron radiation system for x-ray lithography (Takada, Hiroshi; Furukawa, Kouhei; Tomimasu, Takio) 27(7)550-556(Jul1988)
Effective phase space widths of undulator radiation (Coisson, R.) 27(3)250-252(Mar1988)
Film-based digital tomosynthesis of the chest (Sherrier, Robert H.; Suddarth, Steven A.; Johnson, G. Allan) 27(8)691-695(Aug1988)
Layered synthetic microstructure x-ray mirror focusing instrument: bent silicon wafer substrate (Penkethman, J. A.) 27(2)099-103(Feb1988)
Mirror and grating surface figure requirements for grazing incidence synchrotron radiation beamlines: power loading effects (Hulbert, Steven L.; Sharma, Sushil) 27(6)433-439(Jun1988)
Vibrational testing of an x-ray concentrator by holographic interferometry (Delvo, P.; Rizzi, M. L.) 27(12)1072-1077(Dec1988)

Zone plates
Electron beam lithography and nanometer structures: fabrication of microzone plates (Bogli, V.; Unger, P.; Beneking, H.; Niemann, B.; Guttmann, P.; Meyer-Ilse, W.) 27(2)143-149(Feb1988)